♥aetna
--------

#### MEDICARE FORM

### Abraxane<sup>®</sup> (paclitaxel protein-bound particles) Injectable Medication Precertification Request

Page 1 of 3

(All fields must be completed and legible for precertification review.)

Please indicate:

Start of treatment: Start date ///

Continuation of therapy: Date of last treatment

 For Medicare Advantage Part B:

 FAX:
 1-844-268-7263

 PHONE:
 1-866-503-0857

For other lines of business: Please use other form.

Note: Abraxane and generic paclitaxel (protein bound) are non-preferred. The preferred products are docetaxel or paclitaxel. Docetaxel and paclitaxel do not require precertification.

Fax:

Precertification Requested	By:
----------------------------	-----

/ / \_\_\_ Phone: \_\_\_

Elect Manual								
First Name:		Last N	ame:			DOB:		
Address:		City:				State:	ZIP:	
Home Phone:	Work Phone:	•	Cell F	Phone:		E-mail:		
Current Weight: lbs or	kgs Height:	inches or	cms	Allergies:				
<b>B. INSURANCE INFORMATION</b>								
Aetna Member ID #:		Does patier	nt have other o	coverage?	🗌 Yes 🗌 N	0		
Group #:					_ Carrier Name			
Insured:		Insured:						
C. PRESCRIBER INFORMATION								
First Name:		Last Name:			(Check (	One): □ M.D	D. 🗌 D.O. 🗌 N.	.P. 🗌 P.A.
Address:			C	City:		State:	ZIP:	
Phone: Fa	x:	St Lic #:	Ν	NPI #:	DEA #	:	UPIN:	
Provider E-mail:		Office Contact N	lame:		Phone	:		
D. DISPENSING PROVIDER/ADM	INISTRATION INFO	RMATION						
Outpatient Infusion Center Center Name: Home Infusion Center Agency Name:	Phone:			Physician Specialty Name: Address:	<b>Provider/Pharn</b> n's Office y Pharmacy	☐ Retail   ☐ Other	-	
Administration code(s) (CPT): Address: NPI:								
Address: NPI: E. PRODUCT INFORMATION				TIN: NPI:		PIN: _		
Address: NPI:	taxel protein-boun	d): Dose:		TIN: NPI: Frequency: _		PIN: _		
Address:	taxel protein-boun	id): Dose: ary ICD Code and	l specify any of	TIN: NPI: Frequency:	- plicable.	PIN: _		
Address:	taxel protein-boun Please indicate prima	id): Dose: ary ICD Code and condary ICD Co	I specify any of	TIN: NPI: Frequency:	- blicable. Other IC	PIN: PIN: HC		
Address:	taxel protein-boun Please indicate prima Secuired clinical inform clitaxel (protein bo tification. nad prior therapy wi nad a trial and failur	ad): Dose: ary ICD Code and condary ICD Co- nation must be co <b>bund) are non-p</b> th Abraxane (pa e, intolerance, o	I specify any of de: mpleted in its g oreferred. The clitaxel proteir r contraindica	TIN: NPI: Frequency: ther where app entirety for all p e preferred pr n-bound) withi tion to doceta:	plicable. Other IC precertification re roducts are doo in the last 365 da xel or conventio	D Code: HC D Code: quests. cetaxel or pa ays? nal paclitaxel	PCS Code: clitaxel. Docet	



### **MEDICARE FORM**

# Abraxane<sup>®</sup> (paclitaxel protein-bound particles) Injectable Medication Precertification Request

Page 2 of 3

(All fields must be completed and legible for precertification review.)

 For Medicare Advantage Part B:

 FAX:
 1-844-268-7263

 PHONE:
 1-866-503-0857

For other lines of business: Please use other form.

Note: Abraxane and generic paclitaxel (protein bound) are non-preferred. The preferred products are docetaxel or paclitaxel. Docetaxel and paclitaxel do not require precertification.

Patient First	Name	Patient Last Name	Patient Phone	Patient DOB		
G. CLINICAL INFORMATION (continued) – Required clinical information must be completed in its entirety for all precertification requests.						
	_ 0					
	□ Local/regional recurrence OR □ distant metastases					
		angiocarcinoma in combination with	gemcitabine as prima	ary treatment		
	Unresectable disease O		renu with norfermen	as status of 0.2 for		
	Unresectable disease O	gle agent second line/subsequent the R □ metastatic disease	rapy with performant	ce status of 0-2 for		
		ression OR 🗌 after maximum clinical b	enefit from BRAF targe	ated therapy		
	Endometrial Carcinoma			eleu inerapy		
		ingle agent for endometrioid adenocarc	inoma			
		itable for primary surgery	lionia			
		s limited to the uterus, 🗍 with cervical ir	nvolvement, OR 🗌 ext	ra-uterine disease		
		ofor disease that is suitable for primary s				
	🗌 For distant me	astases				
	Single agent therapy for	endometrioid adenocarcinoma				
		l metastases 🛛 disseminated metasta		sed on hormonal therapy OR		
	-	or large volume disseminated metastas				
	-	ecurrence in persons with gross upper				
		I external beam radiation therapy (EBR				
		ned to the vagina or pelvic lymph nodes	in para-aortic or o	common iliac lymph nodes		
	□ Local/regional recurrent disease for					
		scopic residual upper abdominal OR 🗌				
		ved prior external beam radiation therap a, clear cell carcinoma, serous carcinor				
		imary treatment for disease not suitable				
	-	-				
As additional treatment for disease suitable for primary surgery With vaginal brachytherapy fro Stage IA disease						
	Adjuvant treatment as single agent with histologic grade 3 tumors for					
	Stage IB disease with vaginal brachytherapy and/or sequential external beam radiation therapy (EBRT)					
	Stage II disease with sequential external beam radiation therapy (EBRT)					
	Adjuvant treatment as single agent for					
	Stage IIIA-IVA					
	Epithelial Ovarian Cancer for p	iersistent or recurrent disease ith carboplatin for persons with confirme	d taxana hynaraanaitii	it.		
	Fallopian tube cancer for persi			lity		
		ith carboplatin for persons with confirme	ed taxane hypersensitiv	vitv		
		SCLC) for recurrent or metastatic dise				
	combination with carboplatin					
	1st Line therapy					
		OS1, BRAF, and PD-L1 negative or unk	nown 🗌 BRAF V600	E-mutation positive tumors		
	Subsequent therapy for					
		nutation positive tumors				
	☐ EGFR mutation positive and prior erlotinib/afatinib/gefitinib/osimertinib therapy					
	□ ALK positive tumors and prior crizotinib/ceritinib/alectinib/brigatinib therapy					
	☐ ROS1 rearrangement positive tumors and prior crizotinib therapy ☐ PD-L1 positive (≥50%) tumor, EGFR, ALK, ROS1, and BRAF negative tumors and prior pembrolizumab therapy.					
			-			
		SCLC) when substituted for either pac r receiving paclitaxel or docetaxel de				
	hypersensitivity premedication		spite premetrication,	or for persons in whom standard		



### **MEDICARE FORM**

## Abraxane<sup>®</sup> (paclitaxel protein-bound particles) Injectable Medication Precertification Request

Page 3 of 3

(All fields must be completed and legible for precertification review.)

 For Medicare Advantage Part B:

 FAX:
 1-844-268-7263

 PHONE:
 1-866-503-0857

For other lines of business: Please use other form.

Note: Abraxane and generic paclitaxel (protein bound) are non-preferred. The preferred products are docetaxel or paclitaxel. Docetaxel and paclitaxel do not require precertification.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB			
G. CLINICAL INFORMATION - Required clinic	al information must be completed for AL	precertification requests				
		precentification requests.				
Pancreatic cancer in combinatio	n with gemcitabine					
As neoadjuvant therapy						
Biopsy positive borderline resectable disease OR resectable disease with high-risk features (ie, very highly elevated						
CA 19-9, large primary tumors, large regional lymph nodes, excessive weight loss, extreme pain) As first line chemotherapy or as induction therapy followed by chemoradiation in persons with good performance status (KPS						
greater than or equal to 70)						
5 1	c metastases in locally advanced unrese	ctable disease 🔲 First-line th	erapy in metastatic disease			
As second-line therapy for persons with good performance status (KPS greater than or equal to 70)						
□ For locally advanced unresectable /metastatic disease and disease progression following fluoropyrimidine-based therapy						
☐ Local recurrence in the pancreatic bed after resection OR ☐ For metastatic disease						
	a used as a single agent as subseque	nt systemic therapy for				
	🔄 Recurrent disease OR 🗌 Metastatic disease					
Primary peritoneal cancer for persistent disease or recurrence						
☐ in combination with carboplatin for persons with confirmed taxane hypersensitivity OR ☐ as a single agent						
Upper genitourinary tract tumors used as a single agent as subsequent systemic therapy for metastatic disease						
<ul> <li>Urothelial carcinoma of the prostate used as a single agent as subsequent systemic therapy for metastatic disease</li> <li>Uveal melanoma as a single agent therapy for</li> </ul>						
For Continuation of Therapy: (clinical docum						
Is this a continuation request a result of the patient receiving samples of Abraxane® (paclitaxel protein-bound particles)? 🗌 Yes 🗌 No						
Is there clinical documentation supporting disease stability?						
Is there clinical documentation supporting disease improvement?  Yes No						
H. ACKNOWLEDGEMENT						
Request Completed By (Signature Require	ed):		_ Date: / / /			
Any person who knowingly files a request for authorization of coverage of a medical procedure or service with the intent to injure, defraud or deceive any						
insurance company by providing materially fall		ormation for the purpose of m	isleading, commits a fraudulent			
insurance act, which is a crime and subjects su	ch person to criminal and civil penalties.					

The plan may request additional information or clarification, if needed, to evaluate requests.