



MEDICARE FORM

Cimzia® (certolizumab pegol) Injectable Medication Precertification Request

Page 1 of 5

(All fields must be completed and legible for precertification review.)

For Medicare Advantage Part B:
For other lines of business:
Please use commercial form.

Note: Cimzia is non-preferred.
Preferred products vary based on
indication. See section G below.

Would you like to use electronic prior authorization? Consider using **Availity**, our electronic prior authorization portal. Learn more about **Availity** from the links in the table below.

For phone or fax requests, refer to the table below for routing information. To determine which box to use, refer to the patient's Aetna ID card. State specific special needs and Medicare-Medicaid Plans may be designated on the front of the ID card or in the website URL on the back of the card. If you don't see your specific plan listed, call the number on the back of the member's ID card to confirm routing information.

For **Aetna Medicare Advantage** and **Allina Health Aetna Medicare** members send request to:

Phone: [1-866-503-0857](tel:1-866-503-0857) (TTY: [711](tel:1-866-503-0857))

Fax: [1-844-268-7263](tel:1-844-268-7263)

Availity: <https://www.aetna.com/health-care-professionals/resource-center/availability.html>

For Aetna Medicare Advantage **Virginia Dual Eligible Special Needs Plans** (HMO D-SNP) send request to:

Phone: [1-855-463-0933](tel:1-855-463-0933)

Fax: [1-833-280-5224](tel:1-833-280-5224)

Availity: <https://www.aetnabetterhealth.com/virginia-hmosnp/providers/portal>

For Aetna Assure Premier Plus Medicare Advantage **New Jersey Dual Eligible Special Needs Plans** (HMO D-SNP) send request to:

Phone: [1-844-362-0934](tel:1-844-362-0934)

Fax: [1-833-322-0034](tel:1-833-322-0034)

Availity: <https://www.aetnabetterhealth.com/new-jersey-hmosnp/providers/portal.html>

For Aetna Better Health of **Illinois Premier Medicare Medicaid Plan** (MMP) send request to:

Phone: [1-866-600-2139](tel:1-866-600-2139)

FAX: [1-855-320-8445](tel:1-855-320-8445)

Availity: <https://www.aetnabetterhealth.com/illinois/providers/portal>

For Aetna Better Health of **Ohio Premier Medicare Medicaid Plan** (MMP) send request to:

Phone: [1-855-364-0974](tel:1-855-364-0974)

Fax: [1-855-734-9389](tel:1-855-734-9389)

Availity: <https://www.aetnabetterhealth.com/ohio/providers/portal>

For Aetna Better Health of **Michigan Premier Medicare Medicaid Plan** (MMP) send request to:

Phone: [1-855-676-5772](tel:1-855-676-5772)

Fax: [1-844-241-2495](tel:1-844-241-2495)

Availity: <https://www.aetnabetterhealth.com/michigan/providers/portal.html>



MEDICARE FORM

Cimzia® (certolizumab pegol) Injectable Medication Precertification Request

Page 2 of 5

(All fields must be completed and legible for precertification review.)

For Medicare Advantage Part B:
For other lines of business:
Please use commercial form.

Note: Cimzia is non-preferred.
Preferred products vary based on
indication. See section G below.

Please indicate: Start of treatment: Start date ____ / ____ / ____
 Continuation of therapy: Date of last treatment ____ / ____ / ____

Precertification Requested By: _____ Phone: _____ Fax: _____

A. PATIENT INFORMATION			
First Name:		Last Name:	
Address:		DOB:	
City:		State: ZIP:	
Home Phone:	Work Phone:	Cell Phone:	Email:
Patient Current Weight: ____ lbs or ____ kgs Patient Height: ____ inches or ____ cms			Allergies:
B. INSURANCE INFORMATION			
Aetna Member ID #:		Does patient have other coverage? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Group #:		If yes, provide ID#: _____ Carrier Name: _____	
Insured:		Insured:	
Medicare: <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, provide ID #:		Medicaid: <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, provide ID #:	
C. PRESCRIBER INFORMATION			
First Name:		Last Name: (Check One): <input type="checkbox"/> M.D. <input type="checkbox"/> D.O. <input type="checkbox"/> N.P. <input type="checkbox"/> P.A.	
Address:		City: State: ZIP:	
Phone:	Fax:	St Lic #:	NPI #: DEA #: UPIN:
Provider Email:		Office Contact Name: Phone:	
Specialty (Check one): <input type="checkbox"/> Gastroenterologist <input type="checkbox"/> Rheumatologist <input type="checkbox"/> Dermatologist <input type="checkbox"/> Other: _____			
D. DISPENSING PROVIDER/ADMINISTRATION INFORMATION			
Place of Administration: <input type="checkbox"/> Self-administered <input type="checkbox"/> Physician's Office <input type="checkbox"/> Home <input type="checkbox"/> Outpatient Infusion Center Phone: _____ Center Name: _____ <input type="checkbox"/> Home Infusion Center Phone: _____ Agency Name: _____ <input type="checkbox"/> Administration code(s) (CPT): _____ Address: _____ City: _____ State: _____ ZIP: _____ Phone: _____ Fax: _____ TIN: _____ PIN: _____ NPI: _____		Dispensing Provider/Pharmacy: Patient Selected choice <input type="checkbox"/> Physician's Office <input type="checkbox"/> Retail Pharmacy <input type="checkbox"/> Specialty Pharmacy <input type="checkbox"/> Mail Order <input type="checkbox"/> Other: _____ Name: _____ Address: _____ City: _____ State: _____ ZIP: _____ Phone: _____ Fax: _____ TIN: _____ PIN: _____ NPI: _____	
E. PRODUCT INFORMATION			
Request is for Cimzia (certolizumab pegol)			
Dose: _____		Frequency: _____ HCPCS Code: _____	
F. DIAGNOSIS INFORMATION - Please indicate primary ICD code and specify any other any other where applicable (*).			
Primary ICD Code: _____		Secondary ICD Code: _____ Other ICD Code: _____	
G. CLINICAL INFORMATION - Required clinical information must be completed for ALL precertification requests.			
For Initiation Requests (clinical documentation required for all requests):			
Note: Cimzia is non-preferred. Entyvio, Inflectra, Renflexis and Simponi Aria are preferred for MA plans. For MAPD plans, Cosentyx SC, Enbrel, Humira, Idacio, Rinvoq, Skyrizi, Sotyktu, Stelara, Tremfya, Tyenne SC and Xeljanz/Xeljanz XR are preferred. Preferred products vary based on indication.			
<input type="checkbox"/> Yes <input type="checkbox"/> No Has the patient had prior therapy with Cimzia (certolizumab pegol) within the last 365 days? <input type="checkbox"/> No Has the patient had a trial and failure of any of the following? (if yes, select all that apply below) <input type="checkbox"/> Entyvio (vedolizumab) <input type="checkbox"/> Inflectra (infliximab-dyyb) <input type="checkbox"/> Renflexis (infliximab-abda) <input type="checkbox"/> Simponi Aria (golimumab) -> When was the member's trial and failure of the preferred drug? _____ -> Please describe the nature of the failure of the preferred drug _____ <input type="checkbox"/> No Has the patient had an adverse reaction to any of the following? (if yes, select all that apply below) <input type="checkbox"/> Entyvio (vedolizumab) <input type="checkbox"/> Inflectra (infliximab-dyyb) <input type="checkbox"/> Renflexis (infliximab-abda) <input type="checkbox"/> Simponi Aria (golimumab) -> When was the member's adverse reaction to the preferred drug? _____ -> Please describe the nature of the adverse reaction to the preferred drug _____			

Continued on next page



MEDICARE FORM

Cimzia® (certolizumab pegol) Injectable Medication Precertification Request

Page 3 of 5

(All fields must be completed and legible for precertification review.)

For Medicare Advantage Part B:
For other lines of business:
Please use commercial form.

Note: Cimzia is non-preferred.
Preferred products vary based on
indication. See section G.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB
--------------------	-------------------	---------------	-------------

G. CLINICAL INFORMATION (continued) – Required clinical information must be completed in its entirety for all precertification requests.

For Initiation Requests continued (clinical documentation required for all requests):

- No Has the patient had a trial and failure of any of the following? (if yes, select all that apply below)
- Cosentyx SC (secukinumab) Enbrel (etanercept) Humira (adalimumab) Idacio (adalimumab-aacf) Rinvoq (upadacitinib)
- Skyrizi (risankizumab-rzaa) Sotyktu (deucravacitinib) Stelara (ustekinumab) Tremfya (guselkumab)
- Tyenne SC (tocilizumab-aazg) Xeljanz/Xeljanz XR (tofacitinib)
- When was the member's trial and failure of the preferred drug? _____
- Please describe the nature of the failure of the preferred drug _____

- No Has the patient had an adverse reaction to any of the following? (if yes, select all that apply below)
- Cosentyx SC (secukinumab) Enbrel (etanercept) Humira (adalimumab) Idacio (adalimumab-aacf) Rinvoq (upadacitinib)
- Skyrizi (risankizumab-rzaa) Sotyktu (deucravacitinib) Stelara (ustekinumab) Tremfya (guselkumab)
- Tyenne SC (tocilizumab-aazg) Xeljanz/Xeljanz XR (tofacitinib)
- When was the member's adverse reaction to the preferred drug? _____
- Please describe the nature of the adverse reaction to the preferred drug _____

Please explain if there are any contraindications or other medical reason(s) that the patient cannot use any of the following preferred products when indicated for the patient's diagnosis (select all that apply)

- Entyvio (vedolizumab) Inflectra (infliximab-dyyb) Renflexis (infliximab-abda) Simponi Aria (golimumab)

Please explain if there are any contraindications or other medical reason(s) that the patient cannot use any of the following preferred products when indicated for the patient's diagnosis (select all that apply)

- Cosentyx SC (secukinumab) Enbrel (etanercept) Humira (adalimumab) Idacio (adalimumab-aacf) Rinvoq (upadacitinib)
- Skyrizi (risankizumab-rzaa) Sotyktu (deucravacitinib) Stelara (ustekinumab) Tremfya (guselkumab)
- Tyenne SC (tocilizumab-aazg) Xeljanz/Xeljanz XR (tofacitinib)

For All Requests (clinical documentation required for all requests):

- Yes No Will the requested drug be used in combination with any other biologic (e.g., Humira) or targeted synthetic disease-modifying anti-rheumatic drug (DMARD) (e.g., Olumiant, Otezla, Xeljanz)?
- Yes No Has the patient ever received (including current utilizers) a biologic (e.g., Humira) or targeted synthetic DMARD (e.g., Olumiant, Xeljanz) associated with an increased risk of tuberculosis?
- Yes No Has the patient had a tuberculosis (TB) test (e.g., tuberculosis skin test [PPD], interferon-release assay [IGRA], chest x-ray) within 6 months of initiating therapy?
- (Check all that apply): PPD test interferon-gamma assay (IGRA) chest x-ray
- Please enter the results of the tuberculosis (TB) test: positive negative unknown
- If positive**, Does the patient have latent or active tuberculosis TB? latent active unknown
- If latent tuberculosis** Yes No Has treatment for latent tuberculosis (TB) infection been initiated or completed?
- Please select: treatment initiated treatment completed

For Initiation Requests (clinical documentation required):

Ankylosing spondylitis and axial spondyloarthritis

Please indicate loading dose at weeks 0, 2 and 4: _____ Please indicate maintenance dose: _____ frequency: _____ weeks

Please select which of the following applies to the patient: Active ankylosing spondylitis (AS) Active axial spondyloarthritis

- Yes No Has the patient ever received (including current utilizers) a biologic (e.g., Humira) indicated for active ankylosing spondylitis or active axial spondyloarthritis?
- Yes No Has the patient experienced an inadequate response with at least TWO nonsteroidal anti-inflammatory drugs (NSAIDs), or does the patient have an intolerance or contraindication to at least two NSAIDs?

Crohn's disease

Please indicate loading dose at weeks 0, 2, and 4: _____ Please indicate maintenance dose: _____ frequency: _____ weeks

- Yes No Has the patient been diagnosed with moderately to severely active Crohn's disease (CD)?
- Yes No Has the patient ever received (including current utilizers) a biologic (e.g., Humira) indicated for moderately to severely active Crohn's disease?
- Yes No Does the patient have fistulizing Crohn's Disease?
- Yes No Has the patient tried and had an inadequate response to at least one conventional therapy option?
- Yes No Does the patient have a contraindication or intolerance to at least one conventional therapy option (e.g., azathioprine [Azasan, Imuran], budesonide [Entocort EC], ciprofloxacin [Cipro], mercaptopurine [Purinethol], methylprednisolone [Solu-Medrol], methotrexate IM or SC, metronidazole [Flagyl], prednisone, sulfasalazine [Azulfidine, Sulfazine], rifaximin [Xifaxan], tacrolimus)?
- Please select: Sulfasalazine (Azulfidine, Sulfazine) Metronidazole (Flagyl)
- Ciprofloxacin (Cipro) Prednisone Budesonide (Entocort EC) Azathioprine (Azasan, Imuran)
- Mercaptopurine (Purinethol) Methotrexate IM or SC Methylprednisolone (Solu-Medrol)
- Rifaximin (Xifaxan) Tacrolimus

Continued on next page



MEDICARE FORM

Cimzia® (certolizumab pegol) Injectable Medication Precertification Request

Page 4 of 5

(All fields must be completed and legible for precertification review.)

For Medicare Advantage Part B:
For other lines of business:
Please use commercial form.

Note: Cimzia is non-preferred.
Preferred products vary based on
indication. See section G.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB
--------------------	-------------------	---------------	-------------

G. CLINICAL INFORMATION (continued) – Required clinical information must be completed in its entirety for all precertification requests.

Immune checkpoint inhibitor-related toxicity

Yes No Has the patient been diagnosed with severe immunotherapy-related inflammatory arthritis?

Plaque psoriasis

Please indicate loading dose at weeks 0, 2 and 4: _____ Please indicate maintenance dose: _____ frequency: _____ weeks

Yes No Has the patient been diagnosed with moderate to severe plaque psoriasis?

Yes No Has the patient ever received (including current utilizers) Otezla or a biologic (e.g., Humira) indicated for the treatment of moderate to severe plaque psoriasis?

Yes No Are crucial body areas (e.g., hands, feet, face, neck, scalp, genitals/groin, intertriginous areas) affected?

→ Please indicate the percentage of body surface area (BSA) affected (prior to starting the requested medication): _____%

If less than 10% of BSA:

Yes No Has the patient experienced an inadequate response, or has an intolerance to phototherapy (e.g., UVB, PUVA) or pharmacologic treatment with methotrexate, cyclosporine or acitretin?

→ Yes No Does the patient have a clinical reason to avoid pharmacologic treatment with methotrexate, cyclosporine and acitretin?

→ Please indicate clinical reason to avoid pharmacologic treatment:

Clinical diagnosis of alcohol use disorder, alcoholic liver disease or other chronic liver disease

Breastfeeding Cannot be used due to risk of treatment-related toxicity Drug interaction

Pregnancy or currently planning pregnancy

Significant comorbidity prohibits use of systemic agents (e.g., liver or kidney disease, blood dyscrasias, uncontrolled hypertension)

Other, please explain: _____

Psoriatic arthritis

Please indicate loading dose at weeks 0, 2 and 4: _____ Please indicate maintenance dose: _____ frequency: _____ weeks

Yes No Has the patient been diagnosed with active psoriatic arthritis (PsA)?

Yes No Does the patient have psoriatic arthritis with co-existent plaque psoriasis?

Rheumatoid arthritis

Please indicate loading dose at weeks 0, 2 and 4: _____ Please indicate maintenance dose: _____ frequency: _____ weeks

Yes No Has the patient been diagnosed with moderately to severely active rheumatoid arthritis (RA)?

Yes No Has the patient ever received (including current utilizers) a biologic (e.g., Humira) or targeted synthetic disease modifying drug (DMARD) (e.g., Rinvoq, Xeljanz) indicated for moderately to severely active rheumatoid arthritis?

→ Yes No Has the patient been tested for the rheumatoid factor (RF) biomarker?

Please indicate test result: positive negative not completed

Yes No Has the patient been tested for the anti-cyclic citrullinated peptide (anti-CCP) biomarker?

Please indicate test result: positive negative not completed

Yes No Has the patient been tested for the C-reactive protein (CRP) biomarker?

Please indicate test result: positive negative not completed

Yes No Has the patient been tested for the erythrocyte sedimentation rate (ESR) biomarker?

Please indicate test result: positive negative not completed

Yes No Has the patient experienced an inadequate response after at least 3 months of treatment with methotrexate at a dose greater than or equal to 20mg per week?

Yes No Has the patient experienced an intolerance to methotrexate?

Yes No Does the patient have a contraindication to methotrexate?

→ Please indicate the contraindication:

History of intolerance or adverse event Renal impairment Hypersensitivity

Clinical diagnosis of alcohol use disorder, alcoholic liver disease or other chronic liver disease

Elevated liver transaminases Significant drug interaction Myelodysplasia Breastfeeding

Interstitial pneumonitis or clinically significant pulmonary fibrosis

Pregnancy or currently planning pregnancy

Blood dyscrasias (e.g., thrombocytopenia, leukopenia, significant anemia)

Other, please explain: _____

For Continuation Requests (clinical documentation required for all requests):

Please indicate maintenance dose: _____ frequency: _____ weeks

Yes No Is the patient currently receiving the requested drug through samples or a manufacturer's patient assistance program?

Yes No Has the patient achieved or maintained positive clinical response as evidenced by low disease activity or improvement in signs and symptoms since starting treatment with the requested drug?

Ankylosing spondylitis and axial spondyloarthritis

Please indicate which of the following has the patient experienced:

Functional status Total spinal pain Inflammation (e.g., morning stiffness) None of the above

Continued on next page



MEDICARE FORM

Cimzia® (certolizumab pegol) Injectable Medication Precertification Request

Page 5 of 5

(All fields must be completed and legible for precertification review.)

For Medicare Advantage Part B:
For other lines of business:
Please use commercial form.

Note: Cimzia is non-preferred.
Preferred products vary based on
indication. See section G.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB
--------------------	-------------------	---------------	-------------

G. CLINICAL INFORMATION (continued) – Required clinical information must be completed in its entirety for all precertification requests.

Crohn's disease

Yes No Has the patient achieved or maintained remission?

Please indicate which of the following has the patient experienced:

Abdominal pain or tenderness Abdominal mass Body weight Diarrhea Endoscopic appearance of the mucosa Hematocrit
 Improvement on a disease activity scoring tool (e.g., Crohn's Disease Activity Index [CDAI] score) None of the above

Plaque psoriasis

Yes No Has the patient experienced a reduction in body surface area (BSA) affected from baseline?

→ Yes No Has the patient experienced an improvement in signs and symptoms of the condition from baseline (e.g., itching, redness, flaking, scaling, burning, cracking, pain)?

Psoriatic arthritis only

Please indicate which of the following has the patient experienced:

Number of swollen joints Number of tender joints Dactylitis Enthesitis Skin and/or nail involvement None of the above

Rheumatoid arthritis

Please indicate the percent of disease activity improvement from baseline in tender joint count, swollen joint count, pain, or disability: ____%

H. ACKNOWLEDGEMENT

Request Completed By (Signature Required): _____ **Date:** ____ / ____ / ____

Any person who knowingly files a request for authorization of coverage of a medical procedure or service with the intent to injure, defraud or deceive any insurance company by providing materially false information or conceals material information for the purpose of misleading, commits a fraudulent insurance act, which is a crime and subjects such person to criminal and civil penalties.

The plan may request additional information or clarification, if needed, to evaluate requests.