

## Inflectra® (infliximab-dyyb) Injectable **Medication Precertification Request**

Page 1 of 5

(All fields must be completed and legible for precertification review.)

plans. Preferred status for MAPD plans varies based on indication. Please indicate: ☐ Start of treatment: Start date \_\_\_\_ See section G below. Continuation of therapy: Date of last treatment / / Precertification Requested By: Phone: \_ Fax: A. PATIENT INFORMATION First Name: DOB: Last Name: State: 7IP· Address: Citv: Home Phone: Work Phone: Cell Phone: Email: Current Weight: Ibs or kgs Height: inches or Alleraies: **B. INSURANCE INFORMATION** Aetna Member ID #: Does patient have other coverage? ☐ Yes ☐ No Group #: If yes, provide ID#: Carrier Name: Insured: Insured: \_\_\_\_ C. PRESCRIBER INFORMATION First Name: Last Name: (Check One): M.D. D.O. N.P. P.A. State: ZIP: Address: City: Phone: NPI#: St Lic #: DEA #: UPIN: Provider Email: Office Contact Name: Phone: D. DISPENSING PROVIDER/ADMINISTRATION INFORMATION Place of Administration: Dispensing Provider/Pharmacy: ☐ Self-administered ☐ Physician's Office ☐ Physician's Office ☐ Retail Pharmacy Phone: Outpatient Infusion Center ☐ Specialty Pharmacy Other: Center Name: ☐ Home Infusion Center Phone: Agency Name: \_\_\_ City: \_\_\_\_\_ State: \_\_\_\_ ZIP: \_\_\_\_ Administration code(s) (CPT): Phone: \_\_\_\_\_ Fax: \_\_\_\_\_ Address: City: \_\_\_\_\_ State: \_\_\_\_ ZIP: \_\_\_\_ Phone: \_\_\_\_\_ Fax: \_\_\_\_\_ TIN: \_\_\_\_\_ PIN: \_\_\_\_ NPI: E. PRODUCT INFORMATION – Please select the medication being requested Request is for: Inflectra (infliximab-dyyb) Dose: HCPCS Code: Frequency: F. DIAGNOSIS INFORMATION - Please indicate primary ICD Code and specify any other where applicable. Primary ICD Code: Secondary ICD Code: Other ICD Code: G. CLINICAL INFORMATION - Required clinical information must be completed in its entirety for all precertification requests. For Initiation Requests (clinical documentation required for all requests): Note: Inflectra, Entyvio, Remicade, Simponi Aria, and unbranded infliximab are the preferred products for MA plans. For MAPD plans, Inflectra, Entyvio, Remicade, and unbranded infliximab are preferred for ulcerative colitis and Enbrel, Humira, Kevzara, Otezla, Rinvoq, Skyrizi, Stelara and Xeljanz/Xeljanz XR are preferred for other indications. Preferred products vary based on indication. ☐ Yes ☐ No Has the patient had prior therapy with Inflectra (infliximab-dyyb) within the last 365 days? Yes \( \subseteq \text{No}\) Has the patient had a trial and failure, intolerance, or contraindication to any of the following? (select all that apply)

☐ Enbrel (etanercept) ☐ Humira (adalimumab) ☐ Kevzara (sarilumab) ☐ Otezla (apremilast) ☐ Rinvoq (upadacitinib)

☐ Enbrel (etanercept) ☐ Humira (adalimumab) ☐ Kevzara (sarilumab) ☐ Otezla (apremilast) ☐ Rinvoq (upadacitinib)

Please explain if there are any other medical reason(s) that the patient cannot use any of the following preferred products when indicated for the patient's

☐ Skyrizi (risankizumab-rzaa) ☐ Stelara (ustekinumab) ☐ Xeljanz/Xejlanz XR (tofacitinib)

☐ Skyrizi (risankizumab-rzaa) ☐ Stelara (ustekinumab) ☐ Xeljanz/Xeljanz XR (tofacitinib)

Continued on next page

For Medicare Advantage Part B:

Note: Inflectra is preferred for MA

FAX: 1-844-268-7263

Please use other form.

For other lines of business:

Phone: 1-866-503-0857 (TTY: 711)

diagnosis (select all that apply)



## Inflectra® (infliximab-dyyb) Injectable Medication Precertification Request

Page 2 of 5

(All fields must be completed and legible for precertification review.)

For Medicare Advantage Part B: Phone: <u>1-866-503-0857</u> (TTY: <u>711</u>)

FAX: 1-844-268-7263

For other lines of business: Please use other form.

Note: Inflectra is preferred for MA plans. Preferred status for MAPD plans varies based on indication. See section G.

Patient First Name		Patient Last Name	Patient Phone	Patient DOB		
G. CLINICA	AL INFORMATION (continued) – Re	l quired clinical information must be complete	l ed in its <u>entirety</u> for all precertif	ication requests.		
Yes No Will Inflectra (infliximab-dyyb) be used concomitantly with apremilast, tofacitinib, or other biologic DMARDs (e.g., adalimumated and the patient been tested for TB with a PPD test, interferon-release assay (IGRAs) or chest x-ray within 6 months of initiation biologic therapy?						
	→ (check all that apply): ☐ PPD t	est 🔲 interferon-gamma assay (IGRA) 🛭	chest x-ray			
	Please enter results of the TB test:  positive negative unknown					
		ve latent or active TB?  latent  active				
	· <del>-</del> -	/ill TB treatment be started before initiation	of therapy with Inflectra (inflixir	nab-dyyb)?		
Please sele	g Spondylitis and Other Spondyloart ect which of the following applies to the ] No	e patient:  Ankylosing spondylitis  Oth	er spondyloarthropathy			
	No Is there evidence of inflammato					
Yes	_	ve response to two or more non-steroidal a	nti-inflammatory drugs (NSAIC	9/2		
7 100 C	Please provide the names and NSAID #1:	length of treatment:	The initial initiation of drugs (1467 lb)	<b>5</b> ).		
	NSAID #2:					
Behcet's D	Pisease					
Yes [	→ Please indicate: ☐ corticostero	ticosteroids or immunosuppressive drugs?				
Behcet's U	Please provide the name of dru lyeitis	ig tilea.		<del></del>		
	No Is the disease refractory?					
Chronic Cu	utaneous/Pulmonary sarcoidosis					
☐ Yes ☐		tomatic despite treatment with steroids?				
	Please provide the daily dose of	of steroids: Dose:mg  tomatic despite treatment with immunosupp	proceante?			
168 [	→ Please select: ☐ azathioprine	cyclophosphamide  methotrexate	☐ Other. please explain:			
Crohn's Di		_ ,	_ /· . <u>—</u>			
│	No Does the patient have a diagno					
	<ul><li>Please indicate how long the patient have a diagno</li></ul>	atient has been diagnosed with fistulizing Co	rohn's disease:			
		the patient's disease:	e □ severe			
	☐ Yes ☐ No Does the patie	nt have a documented diagnosis of active C				
	Please select	all signs/symptoms that apply:		affect that was form		
		pain arthritis bleeding diarrhe				
		n				
		all medications that apply:   6-mercaptop	urine 🔲 azathioprine			
	☐ corticoster	oids- please identify:   prednisone hy	drocortisone	solone  Other:		
	is Suppurativa			d'acces.		
Please Indi	icate the stage of hidradenitis suppurat		Hurley stage II (moderate	disease)		
ПУес	No Has the patient completed a tria	☐ Hurley stage III (severe disease)	☐ Unknown			
	Yes No Does the patie	nt have a contraindication to oral antibiotics	?			
	Yes No Was the treatm					
	heckpoint Inhibitor- Induced Toxiciti icate therapy used:					
CTLA-4						
☐ PD-1						
☐ PD-L1						
Please select drug: ☐ atezolizumab ☐ avelumab ☐ durvalumab ☐ Other:  Other  Please explain:						
	•	bitor-induced toxicities persist despite disco	ntinuation of immune checkno	int inhibitors that target CTLA-4 or		
		ontor-induced toxicities persist despite disco o, ipilimumab, nivolumab, pembrolizumab)?		int initialities that target OTEA-4 01		

Continued on next page



## Inflectra® (infliximab-dyyb) Injectable **Medication Precertification Request**

Page 3 of 5
(All fields must be completed and legible for precertification review.)

For Medicare Advantage Part B: Phone: <u>1-866-503-0857</u> (TTY: <u>711</u>)

FAX: 1-844-268-7263 For other lines of business: Please use other form.

Note: Inflectra is preferred for MA plans. Preferred status for MAPD plans varies based on indication.

See section G.

Patient First Name		Patient Last Name	Patient Phone	Patient DOB		
G CLINICAL INFORMATI	ON (continued) – Re	l equired clinical information must be comple	ted in its entirety for all precertif	ication requests		
			rica in its <u>charety</u> for all precertifi	ication requests.		
Cardiac Which life-th	Please select: arrhythmias impaired ventricular function myocarditis pericarditis					
Please indica ☐ Yes ☐ N	☐ Colitis Please indicate the severity of the immune checkpoint inhibitor-induced colitis: ☐ mild ☐ moderate ☐ severe Please indicate which of the following symptoms the patient exhibits: ☐ 7 or more stools per day over baseline ☐ ileus ☐ fever ☐ None ☐ Yes ☐ No Has the patient been treated with corticosteroids?  Please indicate the corticosteroid name:					
	•	ow improvement after 48 hours of corticost	teroids?			
Please indicate the	Elevated serum creatinine/acute renal failure  Please indicate the severity of the disease:					
	<ul><li>☐ Severe (creatinine greater than 3 times baseline or greater than 4 mg/dL)</li><li>☐ Life-threatening (creatinine greater than 6 times baseline; dialysis indicated)</li></ul>					
☐ None of	the above		,			
☐ Yes ☐ No Has	the patient been trea	ted with corticosteroids?	Leave the Table			
☐ Yes ☐ No Did	ase indicate the name the creatinine level re	and length of therapy: Name: main greater than 2 to 3 times above base	Length: [_] Less line after 1 week of treatment wi	s than 1 week		
☐ Inflammatory arthritis						
	•	ractory or severe disease?		s 🗆 corticosteroids		
☐ Pneumonitis			mo and minaminatory agonto	- Germeestereide		
		e:  mild moderate severe ted with corticosteroids for pneumonitis?				
Plea	ase indicate the cortic	osteroid name:				
Yes No Did		ovement after 48 hours of corticosteroids?				
		ase:  mild  moderate severe				
Yes No Is there						
Yes No Does the	patient have clinical	documentation of polyarticular juvenile idio	pathic arthritis (JRA)?			
Noninfectious Uveitis  Yes No Was the treatment with corticosteroids ineffective?  Please indicate the corticosteroid name:						
		nosuppressive drugs (e.g., azathioprine, cy		fective?		
☐ Yes ☐ No Does the	e patient have a docur	mented intolerance to corticosteroids or imi	munosuppressive drugs?			
Please ii	ndicate the drug(s) the	e patient has intolerance to: 🔲 corticostero	oids 🔲 immunosuppressive dru	gs		
		nented contraindication to corticosteroids of a patient has contraindication to: Cortico		e drugs		
		ase:  mild moderate severe ase is active?				
☐ Yes ☐ No Is there						
Please s	Yes No Is the patient a candidate for systemic therapy or phototherapy?  Please select: phototherapy systemic therapy phototherapy and systemic therapy					
		Severity Index (PASI) score: area affected by plaque psoriasis: %				
Please indicate the percentage of body surface area affected by plaque psoriasis:%  ☐ Yes ☐ No Does the plaque psoriasis involve sensitive areas? <i>If yes</i> , please select: ☐ hands ☐ feet ☐ face ☐ genitals						
Yes No Was the trial with systemic conventional DMARD(s) (e.g., methotrexate, acetretin, or cyclosporine) ineffective?						
	├────────────────────────────────────					
Please s	⊟ No Are systemic of select: ☐ acetretin ☐	conventional DMARDs contraindicated?  ☐ cyclosporine ☐ methotrexate ☐ myce	ophenolate	ve		
☐ Yes ☐ No Was the	trial with phototherapy	y ineffective?				
	Yes No Was the trial with phototherapy not tolerated?					
☐ Yes ☐ No Is phototherapy contraindicated?						
Please check all that apply: Psoralens (methoxsalen, trioxsalen) with UVA light (PUVA) UVB with coal tar or dithranol UVB (standard or narrow band) Home UVB None of the above						
Please ii		rial:  Less than 1 month 1 month		ater		



# Inflectra® (infliximab-dyyb) Injectable Medication Precertification Request

Page 4 of 5

(All fields must be completed and legible for precertification review.)

For Medicare Advantage Part B: Phone: 1-866-503-0857 (TTY: 711)

FAX: <u>1-844-268-7263</u>

For other lines of business: Please use other form.

Note: Inflectra is preferred for MA plans. Preferred status for MAPD plans varies based on indication. See section G.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB			
G. CLINICAL INFORMATION (continued) – F	Required clinical information must b	e completed in its <u>entirety</u> for all	precertification requests.			
Psoriatic Arthritis						
Yes No Is there evidence that the dis						
☐ Yes ☐ No ☐ Does the patient have <b>axial</b> p						
	tment with 2 or more non-steroidal		s) ineffective?			
	de the names and length of treatme	ent:				
NSAID #1: _						
NSAID #2: _						
Yes No Does the patient have <b>non-a</b>		(-C	9 ( (			
multiple joint	s?		ity at onset with erosive disease involving			
☐ Yes ☐	No Was the treatment with metho					
_		nent with methotrexate not tolera				
		elect:  not tolerated contra				
			er conventional DMARD ineffective?			
		→ Please select: ☐ cyclop				
		<del></del> •	ychloroquine    leflunomide			
Byodorma Canaranaoum		☐ suitasa	alazine			
Pyoderma Gangrenosum		d2				
Yes No Does the patient have a docu	• • • • • • • • • • • • • • • • • • • •	• •				
Reactive Arthritis (Reiter's syndrome) or Infl						
Please select which applies to the patient:	` ,	inflammatory bowel disease	e arthritis (enteropathic arthritis)			
Yes No Was the treatment with meth		- 10				
	tment with methotrexate not toleral					
☐ Yes ☐ No Does the pa	tient have a contraindication to met	notrexate?				
I — — — — — — — — — — — — — — — — — — —	salazine menective? itment with sulfasalazine not tolerat	- dO				
	tient have a contraindication to sulf					
Yes No Was the treatment with non-s						
Ves \( No. Was the treatment with non-s	tment with non-steroidal anti-inflam	omatory drugs (NSAIDs) not toler	eated?			
	tient have a contraindication to non					
			(110) (1B0).			
Retinal Vasculitis						
☐ Yes ☐ No Was treatment with a conver	tional DMARD ineffective?					
T Yes □ No Was treatme	ent with a conventional DMARD not	tolerated or contraindicated?	not tolerated  acontraindicated			
Rheumatoid Arthritis		_	<del>_</del>			
Please indicate the severity of the patient's rheumatoid arthritis:   mild   moderate   severe						
☐ Yes ☐ No Is there evidence that the dis	ease is active?					
☐ Yes ☐ No Will the patient be using Infle	ctra (infliximab-dyyb) in combinatio	n with methotrexate?				
─────────────────────────────────────						
		ate not tolerated or contraindicat	ted?  not tolerated  contraindicated			
	→ ☐ Yes ☐ No Was treatment	nt with another conventional DM/	ARD (other than methotrexate) ineffective?			
	Please selec	t: 🗌 azathioprine 🔲 hydroxych	loroquine			

Continued on next page



# Inflectra® (infliximab-dyyb) Injectable Medication Precertification Request

Page 5 of 5

(All fields must be completed and legible for precertification review.)

For Medicare Advantage Part B: Phone: 1-866-503-0857 (TTY: 711)

FAX: 1-844-268-7263

For other lines of business: Please use other form.

Note: Inflectra is preferred for MA plans. Preferred status for MAPD plans varies based on indication. See section G.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB				
G. CLINICAL INFORMATION (continued) – Required clinical information must be completed in its entirety for all precertification requests.							
Sarcoidosis							
☐ Yes ☐ No Is the disease refractory to corticosteroids?							
Ulcerative Colitis							
Yes No Is the patient hospitalized with							
		☐ mild ☐ moderate ☐ severe					
	☐ Yes ☐ No Is there evidence that the disease is active? ☐ Yes ☐ No Is the patient refractory to immunosuppression with corticosteroids (e.g., hydrocortisone, methylprednisolone, prednisone)?						
☐ Yes ☐ No Does the patient require continuous immunosuppression with corticosteroids (e.g., hydrocortisone,							
	methylprednisolone, predn						
		Dose:					
	Please indicate the route:	☐ Orai ☐ IV					
Name and d	ose: Name:	Dose:					
	ate the route:  ☐ Oral ☐ IV						
No. DNo. Westweet	4						
		nt (e.g., azathioprine, 6-mercaptopurine) i osuppressant agent (e.g., azathioprine, 6-					
	or contraindicated?	ocappiococini agoni (c.g., azatinopinio, c	moreaproparmo, not tolorated				
	→ Please select: ☐ not tolera						
> Please selection	ct: 🗌 6-mercaptopurine 🔲 az	athioprine					
☐ Yes ☐ No Was treatmen	t with 5-aminosalicylic acid age	ents (e.g., balsalazide, mesalamine, sulfas	alazine) ineffective?				
		osalicylic acid agents (e.g., balsalazide, n					
	not tolerated or contraindic						
No.	Please select: ☐ not tolerated ☐ contraindicated  Please select: ☐ Colazal (balsalazide) ☐ Ariso, Asacal, Delzicol, Lialda, Pentasa, Rowasa, Canasa (mesalamine)						
Flease selec	□ Colazal (balsalazide)     □ Azulfidine (sulfasalazine)		Rowasa, Cariasa (mesalamme)				
Please select the symptoms t		n 10 stools per day ☐ continuous bleedi	ng 🔲 abdominal pain				
		n ☐ acute, severe toxic symptoms, inclu					
For Continuation of Therapy (clinical docume	ntation required for all reque	sts):					
Please indicate the length of time on Inflectra (in							
Yes No Is this continuation request a r			PDs (s.g. adalimumah sartalizumah)?				
Yes No Will Inflectra (infliximab-dyyb) Yes No Is there clinical documentation		emilast, tolacitinib, of other biologic DiviAl	RDS (e.g., adailmumab, certolizumab)?				
☐ Yes ☐ No Is there clinical documentation		ent?					
Yes No Does the patient have any risk							
Yes No Has the patien							
		eron-gamma assay (IGRA)      chest x-ra ositive      negative      unknown	у				
☐ Yes ☐ No Has the patient received Inflect							
Yes No Does the patient have a documented severe and/or potentially life-threatening adverse event that occurred during or following							
the previous infusion?  ☐ Yes ☐ No Could the adverse reaction be managed through pre-medication in the home or office setting?							
		· · · · · · · · · · · · · · · · · · ·	e nome or office setting?				
For Crohn's disease, Juvenile idiopathic arthritis, Plaque psoriasis, Rheumatoid arthritis, Ulcerative colitis only:  Please indicate the severity of the disease at baseline (pretreatment with Inflectra (infliximab-dyyb)):  mild moderate severe							
H. ACKNOWLEDGEMENT							
Request Completed By (Signature Require	ed):		Date: / /				
Any person who knowingly files a request for authorization of coverage of a medical procedure or service with the intent to injure, defraud or deceive any insurance company by providing materially false information or conceals material information for the purpose of misleading, commits a fraudulent insurance act, which is a crime and subjects such person to criminal and civil penalties.							

The plan may request additional information or clarification, if needed, to evaluate requests.