

## Renflexis<sup>®</sup> (infliximab-abda) Injectable Medication Precertification Request

Page 1 of 5

(All fields must be completed and legible for precertification review.)

For Medicare Advantage Part B: Phone: <u>1-866-503-0857</u> (TTY: <u>711</u>) FAX: <u>1-844-268-7263</u>

For other lines of business: Please use other form.

Note: Renflexis is non-preferred. Preferred products vary based on indication and plan type. See section G below.

Please indicate:	Start of treatment: Sta		_		ation and plan type. ection G below.
		y: Date of last treatment _			
	Requested By:		Phone:		_Fax:
A. PATIENT INFOR	RMATION				
First Name:			Last Name:		
Address:		T	City:	State	e: ZIP:
Home Phone:		Work Phone:		Cell Phone:	
DOB:	Allergies:			E-mail:	
Current Weight:	lbs or	_kgs Height	: inches or _	cms	
B. INSURANCE IN	FORMATION				
	#:		U —	Yes 🗌 No	
-			E Ca	arrier Name:	
Insured:		Insured:			
C. PRESCRIBER I	NFORMATION	Lest Neme		(Chaok Ora):	
First Name:		Last Name:	014		M.D. D.O. N.P. P.A.
Address:		0	City:	State	
Phone:	Fax:	St Lic #:	NPI #:	DEA #:	UPIN:
Provider Email:		Office Contact Name:		Phone:	
	ROVIDER/ADMINISTRATION	INFORMATION			
Place of Administ			Physician's (		etail Pharmacy
	ame:		Specialty Ph		her
Home Infusion					
	code(s) (CPT):				e: ZIP:
Address:	State:	710.			Fax:
	State Fax:				PIN:
	PIN:		NPI:		
NPI:					
E. PRODUCT INFO	ORMATION				
	enflexis (infliximab-abda): [		Frequency:		HCPCS Code:
	<b>FORMATION</b> – Please indicate				
	•				
	<b>DRMATION</b> – Required clinical		d in its <u>entirety</u> for all prece	ertification requests.	
For Initiation Requests (clinical documentation required for all requests):         Note: Renflexis is non-preferred. The preferred products for MA plans are Entyvio, Inflectra, Remicade, Simponi Aria and unbranded infliximab. For         MAPD plans, Inflectra, Entyvio, Remicade and unbranded infliximab are preferred for ulcerative colitis and Enbrel, Humira, Kevzara, Otezla, Rinvoq,         Skyrizi, Stelara, Tremfya and Xeljanz/Xeljanz XR are preferred for other indications. Preferred products vary based on indication.         Yes       No         Has the patient had prior therapy with Renflexis (infliximab-abda) within the last 365 days?         Yes       No         Entyvio (vedolizumab)       Inflectra (infliximab-dyyb)         Remicade (infliximab)       Simponi Aria (golimumab)         Urbs       No         Has the patient had a trial and failure, intolerance, or contraindication to any of the following? (select all that apply)         Entyvio (vedolizumab)       Inflectra (infliximab-dyyb)         Yes       No         Has the patient had a trial and failure, intolerance, or contraindication to any of the following? (select all that apply)         Entyric (risankizumab-rzaa)       Stelara (ustekinumab)         Kevzara (sarilumab)       Otezla (apremilast)         Remicade (infliximab)       Tremfya (guselkumab)         Kevzara (select all the apply)       Skyrizi (risankizumab-rzaa)         Stelara (ustekinumab)					
Please explain if the diagnosis (select al	ere are any other medical reas Il that apply).	on(s) that the patient cannot u	se any of the following pre	ferred products when	indicated for the patient's
	(etanercept) ☐ Humira (adali (risankizumab-rzaa) ☐ Stelar				



# Renflexis<sup>®</sup> (infliximab-abda) Injectable Medication Precertification Request

Page 2 of 5

(All fields must be completed and legible for precertification review.)

For Medicare Advantage Part B: Phone: <u>1-866-503-0857</u> (TTY: <u>711</u>) FAX: <u>1-844-268-7263</u>

For other lines of business: Please use other form.

Note: Renflexis is non-preferred. Preferred products vary based on indication and plan type. See section G.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB		
	N (continued) Required clinical information	n must be completed in its entirety	/ for all proportification requests		
	N (continued) – Required clinical information		biologic DMARDs (e.g., adalimumab, certolizumab)?		
	tient been tested for TB with a PPD test, inter				
biologic the	erapy?				
	hat apply):				
	er results of the TB test:  positive  negative results of the TB test:  positive TB? [				
	<b>B</b> , $\square$ Yes $\square$ No Will TB treatment be started		Renflexis (infliximab-abda)?		
	Other Spondyloarthropathies	be before initiation of thorapy with			
	llowing applies to the patient:  Ankylosing s	spondylitis 🛛 Other spondyloarth	nropathy		
	idence that the disease is active?				
	idence of inflammatory disease?				
	atient had an ineffective response to two or m	ore non-steroidal anti-inflammator	y drugs (NSAIDs)?		
	vide the names and length of treatment:				
NSAID #1.	2:				
Behcet's Disease	2				
	ase refractory to corticosteroids or immunosu	ippressive drugs?			
	icate: Corticosteroids Cimmunosuppres				
Please pro	wide the name of drug tried:				
Behcet's Uveitis					
Yes No Is the dise	-				
Chronic Cutaneous/Pulmon	nary Sarcoldosis atient remained symptomatic despite treatmer	at with atoroida?			
	vide the daily dose of steroids: Dose:r				
Yes No Has the pa	tient remained symptomatic despite treatmer	nt with immunosuppressants?			
Please sel	ect: 🗌 azathioprine 🔲 cyclophosphamide	methotrexate Other, pleas	se explain:		
Crohn's Disease					
	atient have a diagnosis of fistulizing Crohn's				
	icate how long the patient has been diagnose	ed with fistulizing Crohn's disease:			
	atient have a diagnosis of Crohn's disease? icate the severity of the patient's disease:	mild 🗖 moderate 🗖 severe			
	No Does the patient have a documented di		?		
	$\rightarrow$ Please select all signs/symptoms that				
	abdominal pain arthritis 🛛 bl		fistulae 🔲 intestinal obstruction		
	🗌 megacolon 🔲 perianal disease 🛽				
🖵 Yes 🗖	No Have the Crohn's disease symptoms re	emained active despite treatment v	vith 6-mercaptopurine, azathioprine,		
	or corticosteroids?				
	$\longrightarrow$ Please check all medications that app				
Hidradenitis Suppurativa		prednisone invorcortisone	methylprednisolone Other:		
	hidradenitis suppurativa: 🔲 Hurley stage I (ı	mild disease) 🛛 🗖 Hurley stad	e II (moderate disease)		
	☐ Hurley stage III				
	tient completed a trial of antibiotics?	. ,			
	No Does the patient have a contraindicatio				
	No Was the treatment with antibiotics ineffe	ective?			
Immune Checkpoint Inhibite					
Please indicate therapy used					
PD-1: Please select dr	rug: 🗌 ipilimumab 🔲 Other:	ther:			
CTLA-4: Please select drug: ipilimumab i Other: PD-1: Please select drug: nivolumab pembrolizumab Other: PD-L1: Please select drug: atezolizumab avelumab durvalumab Other:					
☐ Other, please explain:					
	nune checkpoint inhibitor-induced toxicities p	ersist despite discontinuation of in	mune checkpoint inhibitors that target CTLA-4 or		
PD-1/PD-I	1 (e.g., atezolizumab, ipilimumab, nivolumab	pembrolizumab)?			



## Renflexis<sup>®</sup> (infliximab-abda) Injectable Medication Precertification Request

Page 3 of 5

(All fields must be completed and legible for precertification review.)

For Medicare Advantage Part B: Phone: <u>1-866-503-0857</u> (TTY: <u>711</u>) FAX: <u>1-844-268-7263</u>

For other lines of business: Please use other form.

Note: Renflexis is non-preferred. Preferred products vary based on indication and plan type. See section G.

Please indicate the toxicity (check all that apply):         Cardiac         Which life-threatening immune checkpoint inhibitor-induced cardiac toxicities does the patient have?         Please select:       arrhythmias         Colitis         Please indicate the severity of the immune checkpoint inhibitor-induced colitis:       mild         Please indicate which of the following symptoms the patient exhibits:       7 or more stools per day over baseline         Please indicate which of the following symptoms the patient exhibits:       7 or more stools per day over baseline         Please indicate which of the following symptoms the patient exhibits:       7 or more stools per day over baseline         Please indicate which of the following symptoms the patient exhibits:       7 or more stools per day over baseline         Please indicate the severity of the disease:       fever         Press       No       Did the patient been treated with corticosteroids?         Please indicate the severity of the disease:       Severe (creatinine greater than 3 times baseline or greater than 4 mg/dL)         Life-threatening (creatinine greater than 6 times baseline; dialysis indicated)       None of the above         Yes       No       Did the creatinine greater than 2 to 3 times above baseline after 1 week of treatment with corticosteroids?         Inflammatory arthritis       fever       length:       length:       length:       length:       <					
<ul> <li>□ Cardiac</li> <li>Which life-threatening immune checkpoint inhibitor-induced cardiac toxicities does the patient have?</li> <li>Please select:arhythmiasimpaired ventricular functionmyocarditispericarditis</li> <li>□ Colitis</li> <li>Please indicate the severity of the immune checkpoint inhibitor-induced colitis:mildmoderatesevere</li> <li>Please indicate which of the following symptoms the patient exhibits: or more stools per day over baselinelieusfeverNone</li> <li>□ YesNo Did the patient been treated with corticosteroids? <i>If yes</i>, please indicate the corticosteroid name:</li> <li>□ YesNo Did the patient show improvement after 48 hours of corticosteroids?</li> <li>□ Elevated serum creatinine/acute renal failure</li> <li>Please indicate the severity of the disease:</li> <li>□ Severe (creatinine greater than 3 times baseline or greater than 4 mg/dL)</li> <li>□ Life-threatening (creatinine greater than 6 times baseline; dialysis indicated)</li> <li>□ None of the above</li> <li>□ YesNo Has the patient been treated with corticosteroids?</li> <li>□ YesNo Did the creatinine level remain greater than 2 to 3 times above baseline after 1 week of treatment with corticosteroids?</li> <li>□ Inflammatory arthritis</li> <li>□ YesNo Is the patient have refractory or severe disease? refractory disease severe disease</li> <li>□ YesNo Is the patient nave refractory or severe disease? refractory disease severe disease</li> <li>□ YesNo Is the patient have refractory or severe disease? anti-inflammatory agents corticosteroids</li> <li>□ Pneumonitis</li> <li>Please indicate the severity of the disease:</li></ul>					
Please select:       arrhythmias       impaired ventricular function       myocarditis       pericarditis         Colitis       Please indicate the severity of the immune checkpoint inhibitor-induced colitis:       mild       moderate       severe         Please indicate which of the following symptoms the patient exhibits:       7 or more stools per day over baseline       ileus       fever       None         Yes       No       Has the patient been treated with corticosteroids?       If yes, please indicate the corticosteroid name:					
□ Colitis          Please indicate the severity of the immune checkpoint inhibitor-induced colitis: □ r or more stools per day over baseline □ ileus □ fever □ None         □ Yes □ No Has the patient been treated with corticosteroids? If yes, please indicate the corticosteroid name:         □ Yes □ No Did the patient show improvement after 48 hours of corticosteroids?         Please indicate the severity of the disease:         □ Severe (creatinine/acute renal failure         Please indicate the severity of the disease:         □ Severe (creatinine greater than 3 times baseline or greater than 4 mg/dL)         □ Life-threatening (creatinine greater than 6 times baseline; dialysis indicated)         □ None of the above         □ Yes □ No Has the patient been treated with corticosteroids?         □ Yes □ No Has the patient been treated with corticosteroids?         □ Yes □ No Has the patient been treated with corticosteroids?         □ Yes □ No Did the creatinine greater than 3 times baseline; dialysis indicated)         □ None of the above         □ Yes □ No Has the patient been treated with corticosteroids?         □ Yes □ No Did the creatinine level remain greater than 2 to 3 times above baseline after 1 week of treatment with corticosteroids?         □ Yes □ No Does the patient have refractory or severe disease? □ refractory disease □ severe disease         □ Yes □ No Is the patient responding to corticosteroids or anti-inflammatory agents □ corticosteroids         □ Pneumonitis         P					
Please indicate the severity of the immune checkpoint inhibitor-induced colitis: mild moderate severe         Please indicate which of the following symptoms the patient exhibits: 7 or more stools per day over baseline ileus fever None         Please indicate which of the following symptoms the patient exhibits: 7 or more stools per day over baseline ileus fever None         Press       No       Has the patient been treated with corticosteroids? If yes, please indicate the corticosteroid name:         Please indicate the severity of the disease:					
Please indicate which of the following symptoms the patient exhibits:       7 or more stools per day over baseline       ileus       fever       None         Yes       No       Has the patient been treated with corticosteroids?       If yes, please indicate the corticosteroid name:					
Yes       No       Has the patient been treated with corticosteroids?       If yes, please indicate the corticosteroid name:					
Yes No Did the patient show improvement after 48 hours of corticosteroids?          □       Elevated serum creatinine/acute renal failure         Please indicate the severity of the disease:       □         □       Severe (creatinine greater than 3 times baseline or greater than 4 mg/dL)         □       Life-threatening (creatinine greater than 6 times baseline; dialysis indicated)         □       None of the above         □       Yes □       No Has the patient been treated with corticosteroids?         □       Yes □       No Did the creatinine level remain greater than 2 to 3 times above baseline after 1 week of treatment with corticosteroids?         □       Yes □       No Does the patient have refractory or severe disease? □       refractory disease □       severe disease         □       Yes □       No Is the patient nave refractory or severe disease? □       refractory disease □       severe disease         □       Yes □       No Is the patient nave refractory or severe disease? □       refractory disease □       severe disease         □       Yes □       No Is the patient new refractory or severe disease? □       refractory disease □       severe disease         □       Yes □       No Is the patient new refractory or severe disease: □       null □       moderate □       severe         □       Yes □       No Has the patient been treated with corticosteroids for pneumonitis?					
<ul> <li>□ Elevated serum creatinine/acute renal failure</li> <li>Please indicate the severity of the disease:</li> <li>□ Severe (creatinine greater than 3 times baseline or greater than 4 mg/dL)</li> <li>□ Life-threatening (creatinine greater than 6 times baseline; dialysis indicated)</li> <li>□ None of the above</li> <li>□ Yes □ No Has the patient been treated with corticosteroids?</li> <li>□ Yes □ No Did the creatinine level remain greater than 2 to 3 times above baseline after 1 week of treatment with corticosteroids?</li> <li>□ Inflarmatory arthritis</li> <li>□ Yes □ No Does the patient have refractory or severe disease? □ refractory disease □ severe disease</li> <li>□ Yes □ No Is the patient responding to corticosteroids or anti-inflammatory agents? □ anti-inflammatory agents □ corticosteroids</li> <li>□ Pneumonitis</li> <li>□ Please indicate the severity of the disease: □ mild □ moderate □ severe</li> <li>□ Yes □ No Has the patient been treated with corticosteroids for pneumonitis?</li> </ul>					
Please indicate the severity of the disease:					
<ul> <li>Severe (creatinine greater than 3 times baseline or greater than 4 mg/dL)</li> <li>Life-threatening (creatinine greater than 6 times baseline; dialysis indicated)</li> <li>None of the above</li> <li>Yes No Has the patient been treated with corticosteroids?</li> <li>Please indicate the name and length of therapy: Name: Length: Less than 1 week 1 week or greater</li> <li>Yes No Did the creatinine level remain greater than 2 to 3 times above baseline after 1 week of treatment with corticosteroids?</li> <li>Inflammatory arthritis</li> <li>Yes No Does the patient have refractory or severe disease? refractory disease severe disease</li> <li>Yes No Is the patient responding to corticosteroids or anti-inflammatory agents? anti-inflammatory agents corticosteroids</li> <li>Pneumonitis</li> <li>Please indicate the severity of the disease: mild moderate severe</li> <li>Yes No Has the patient been treated with corticosteroids for pneumonitis?</li> <li>Please indicate the corticosteroid name:</li></ul>					
<ul> <li>Life-threatening (creatinine greater than 6 times baseline; dialysis indicated)</li> <li>None of the above</li> <li>Yes No Has the patient been treated with corticosteroids?</li> <li>Please indicate the name and length of therapy: Name: Length: Length:</li></ul>					
<ul> <li>None of the above</li> <li>Yes No Has the patient been treated with corticosteroids?</li> <li>Please indicate the name and length of therapy: Name: Length: Length:</li></ul>					
Yes       No       Has the patient been treated with corticosteroids?         Yes       No       Did the creatinine level remain greater than 2 to 3 times above baseline after 1 week of treatment with corticosteroids?         Inflammatory arthritis       Yes       No       Does the patient have refractory or severe disease?       refractory disease       severe disease         Yes       No       Is the patient responding to corticosteroids or anti-inflammatory agents?       anti-inflammatory agents       corticosteroids         Pneumonitis       Please indicate the severity of the disease:       mild       moderate       severe         Yes       No       Has the patient been treated with corticosteroids for pneumonitis?         Please indicate the corticosteroid name:       Please indicate the corticosteroid name:					
Please indicate the name and length of therapy: Name: Length: Length: Less than 1 week or greater     Tes No Did the creatinine level remain greater than 2 to 3 times above baseline after 1 week of treatment with corticosteroids?     Inflammatory arthritis     Tes No Does the patient have refractory or severe disease? refractory disease severe disease     Tes No Is the patient responding to corticosteroids or anti-inflammatory agents? anti-inflammatory agents corticosteroids     Pneumonitis     Please indicate the severity of the disease: mild moderate severe     Tes No Has the patient been treated with corticosteroids for pneumonitis?     Please indicate the corticosteroid name:					
<ul> <li>☐ Yes ☐ No Did the creatinine level remain greater than 2 to 3 times above baseline after 1 week of treatment with corticosteroids?</li> <li>☐ Inflammatory arthritis</li> <li>☐ Yes ☐ No Does the patient have refractory or severe disease? ☐ refractory disease ☐ severe disease</li> <li>☐ Yes ☐ No Is the patient responding to corticosteroids or anti-inflammatory agents? ☐ anti-inflammatory agents ☐ corticosteroids</li> <li>☐ Pneumonitis</li> <li>Please indicate the severity of the disease: ☐ mild ☐ moderate ☐ severe</li> <li>☐ Yes ☐ No Has the patient been treated with corticosteroids for pneumonitis?</li> <li>Please indicate the corticosteroid name:</li> </ul>					
<ul> <li>☐ Inflammatory arthritis</li> <li>☐ Yes ☐ No Does the patient have refractory or severe disease? ☐ refractory disease ☐ severe disease</li> <li>☐ Yes ☐ No Is the patient responding to corticosteroids or anti-inflammatory agents? ☐ anti-inflammatory agents ☐ corticosteroids</li> <li>☐ Pneumonitis</li> <li>Please indicate the severity of the disease: ☐ mild ☐ moderate ☐ severe</li> <li>☐ Yes ☐ No Has the patient been treated with corticosteroids for pneumonitis?</li> <li>Please indicate the corticosteroid name:</li></ul>					
<ul> <li>☐ Yes ☐ No Is the patient responding to corticosteroids or anti-inflammatory agents? ☐ anti-inflammatory agents ☐ corticosteroids</li> <li>☐ Pneumonitis</li> <li>Please indicate the severity of the disease: ☐ mild ☐ moderate ☐ severe</li> <li>☐ Yes ☐ No Has the patient been treated with corticosteroids for pneumonitis?</li> <li>Please indicate the corticosteroid name:</li> </ul>					
<ul> <li>□ Pneumonitis</li> <li>Please indicate the severity of the disease: □ mild □ moderate □ severe</li> <li>□ Yes □ No Has the patient been treated with corticosteroids for pneumonitis?</li> <li>&gt; Please indicate the corticosteroid name:</li> </ul>					
Please indicate the severity of the disease:  mild moderate severe Yes No Has the patient been treated with corticosteroids for pneumonitis? Please indicate the corticosteroid name:					
□ Yes □ No Has the patient been treated with corticosteroids for pneumonitis? Please indicate the corticosteroid name:					
Please indicate the corticosteroid name:					
☐ Yes ☐ No Did the patient show improvement after 48 hours of corticosteroids?					
Juvenile Idiopathic Arthritis (Juvenile Rheumatoid Arthritis)					
Please indicate the severity of the patient's disease:  mild moderate severe Ves No Is there evidence that the disease is active?					
☐ Yes ☐ No Does the patient have clinical documentation of polyarticular juvenile idiopathic arthritis (JRA)?					
Noninfectious Uveitis					
☐ Yes ☐ No Was the treatment with corticosteroids ineffective?					
Please indicate the corticosteroid name:					
Yes No Was the treatment with immunosuppressive drugs (e.g., azathioprine, cyclosporine, or methotrexate) ineffective?					
$\square$					
Yes No Does the patient have a documented intolerance to corticosteroids or immunosuppressive drugs?					
Please indicate the drug(s) the patient has intolerance to:  Corticosteroids C					
☐ Yes ☐ No Does the patient have a documented contraindication to corticosteroids or immunosuppressive drugs?					
Please indicate the drug(s) the patient has contraindication to:  Corticosteroids Corticostero					
Plaque Psoriasis					
Please indicate the severity of the patient's disease: in mild in moderate is severe					
Yes No Is there evidence that the disease is active?					
Yes No Is there clinical documentation of chronic disease?					
Yes No Is the patient a candidate for systemic therapy or phototherapy?					
Please select: phototherapy systemic therapy phototherapy and systemic therapy					
Please provide the patient's Psoriasis Area and Severity Index (PASI) score: Please indicate the percentage of body surface area affected by plaque psoriasis:%					
$\square$ Yes $\square$ No $\square$ Does the plaque psoriasis involve sensitive areas? <i>If yes</i> , please select: $\square$ hands $\square$ feet $\square$ face $\square$ genitals					
$\square$ Yes $\square$ No Was the trial with systemic conventional DMARD(s) (e.g., methotrexate, acetretin, or cyclosporine) ineffective?					
$\square$ Yes $\square$ No Was the trial with systemic conventional DMARD(s) not tolerated?					
Yes No Are systemic conventional DMARDs contraindicated?					
Please select: acitretin cyclosporine methotrexate mycophenolate None of the above					

Continued on next page



# Renflexis<sup>®</sup> (infliximab-abda) Injectable Medication Precertification Request

Page 4 of 5

(All fields must be completed and legible for precertification review.)

For Medicare Advantage Part B: Phone: <u>1-866-503-0857</u> (TTY: <u>711</u>) FAX: <u>1-844-268-7263</u>

For other lines of business: Please use other form.

Note: Renflexis is non-preferred. Preferred products vary based on indication and plan type. See section G.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB				
C CLINICAL INFORMATION (continued)	aquirad alinical information must be comple	tad in its antiraty for all proportific	ation requests				
G. CLINICAL INFORMATION (continued) – R		eted in its <u>entirety</u> for all precertific	ation requests.				
	│ Yes │ No Was the trial with phototherapy ineffective? │ │						
	□ Yes □ No Is phototherapy contraindicated?						
	Psoralens (methoxsalen, trioxsalen) with	UVA light (PUVA)					
	UVB with coal tar or dithranol						
	UVB (standard or narrow-band)						
_							
□ None of the above Please indicate the length of trial: □ Less than 1 month □ 1 month □ 2 months □ 3 months or greater							
Please indicate the length of t							
$\square$ Yes $\square$ No Is there evidence that the dise	ease is active?						
☐ Yes ☐ No Does the patient have <b>axial</b> pa							
	ment with 2 or more non-steroidal anti-infla	mmatory drugs (NSAIDs) ineffect	ive?				
	le the names and length of treatment:						
NSAID #2: Yes □ No Does the patient have <b>non-ax</b>	ial pagriatic arthritic?						
	ent have severe disease at presentation, de	efined as severe disability at onse	t with erosive disease involving				
multiple joints							
$\longrightarrow$ $\Box$ Yes $\Box$	No Was the treatment with methotrexate ine						
	$\longrightarrow$ Yes $\square$ No Was treatment with		ntraindicated?				
		not tolerated	tional DMARD in offective?				
		/as treatment with another conver lease select: □ cyclophosphami					
	/ 11	hydroxychloroqu					
			] Other, please explain:				
Pyoderma Gangrenosum							
Yes No Does the patient have a docur		-					
Reactive Arthritis (Reiter's syndrome) or Infla							
Please select which applies to the patient: re Yes No Was the treatment with method		ammatory bowel disease arthritis	(enteropathic arthritis)				
	ment with methotrexate not tolerated?						
	ent have a contraindication to methotrexate	?					
☐ Yes ☐ No Was the treatment with sulfasalazine ineffective?							
$\square$ Yes $\square$ No Was the treat	ment with sulfasalazine not tolerated?						
☐ Yes ☐ No Does the pati	ent have a contraindication to sulfasalazine	?					
Veg. DNg. Was the tractment with per et	ereidel enti inflommeter: druge (NCAIDe) ir	a officiative 2					
$\square$ Yes $\square$ No Was the treatment with non-st	ment with non-steroidal anti-inflammatory d						
	ent have a contraindication to non-steroidal		5)?				
Please provide the name:			-).				
Retinal Vasculitis							
Yes No Was treatment with a convent							
	nt with a conventional DMARD not tolerated	l or contraindicated? 🗋 not tolera	ated 🔲 contraindicated				
Rheumatoid Arthritis Please indicate the severity of the patient's rheu	matoid arthritis: 🗌 mild 🔲 moderato 🔲	SAVARA					
$\square$ Yes $\square$ No Is there evidence that the dise		367616					
$\square$ Yes $\square$ No Will the patient be using Renfl		nethotrexate?					
Yes No Was treatment							
	No Was treatment with methotrexate not to						
	$\rightarrow$ $\Box$ Yes $\Box$ No Was treatment with an						
	Please select: 📋 azat		Ieflunomide Isulfasalazine				



### Renflexis<sup>®</sup> (infliximab-abda) Injectable Medication Precertification Request

Page 5 of 5

(All fields must be completed and legible for precertification review.)

For Medicare Advantage Part B: Phone: <u>1-866-503-0857</u> (TTY: <u>711</u>) FAX: <u>1-844-268-7263</u>

For other lines of business: Please use other form.

Note: Renflexis is non-preferred. Preferred products vary based on indication and plan type. See section G.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB				
G. CLINICAL INFORMATION (continued) – Re	equired clinical information must be comple	eted in its <u>entirety</u> for all precertif	ication requests.				
Sarcoidosis	tion at a mainte O						
Yes No Is the disease refractory to cor	ticosteroids?						
Ulcerative Colitis							
Yes No Is the patient hospitalized with		modorato. 🗖 aquara					
Please indicate the severity of the patient's ulcerative colitis: ☐ mild ☐ moderate ☐ severe ☐ Yes ☐ No Is there evidence that the disease is active?							
Yes No is there evidence that the disease is active?							
Yes No Does the patient require continuous immunosuppression with corticosteroids (e.g., hydrocortisone, methylprednisolone, prednisolone, prednisole)?							
	$\rightarrow$ Name and dose: Name:	Dose:					
	Please indicate the route: Oral	IV					
	ose: Name:	Dose:					
	ate the route: 🔲 Oral 🔲 IV						
	t with immunosuppressant agent (e.g., aza						
	Yes No Was treatment with immunosuppressant agent (e.g., azathioprine, 6-mercaptopurine) not tolerated or contraindicated?						
	$\rightarrow$ Please select: $\Box$ not tolerated $\Box$ co						
	t: 🗌 6-mercaptopurine 🗌 azathioprine [						
	t with 5-aminosalicylic acid agents (e.g., ba						
$  \qquad \qquad$	No Was treatment with 5-aminosalicylic ad	cid agents (e.g., baisalazide, me	esalamine, sultasalazine)				
	not tolerated or contraindicated? → Please select: □ not tolerated □ co	ntraindicated					
			owasa, Canasa (mesalamine)				
	→ Please select: □ Colazal (balsalazide) □ Ariso, Asacal, Delzicol, Lialda, Pentasa, Rowasa, Canasa (mesalamine) □ Azulfidine (sulfasalazine) □ Other, please explain:						
$\square$ Please select the symptoms the	ne patient exhibit: 🔲 more than 10 stools p		☐ abdominal pain				
		severe toxic symptoms, includi					
For Continuation of Therapy (clinical docume	ntation required for all requests):						
Please indicate the length of time on Renflexis (i							
☐ Yes ☐ No Is this continuation request a r		. , ,	_ /				
□ Yes □ No Will Renflexis (infliximab-abda) be used concomitantly with apremilast, tofacitinib, or other biologic DMARDs (e.g., adalimumab, certolizumab)?							
<ul> <li>Yes □ No Is there clinical documentation supporting disease stability?</li> <li>Yes □ No Is there clinical documentation supporting disease improvement?</li> </ul>							
$\square$ Yes $\square$ No Does the patient have any risk							
$\square$ res $\square$ No $\square$ besche patient have any list factors for $\square$ ? $\square$ Yes $\square$ No $\square$ Has the patient had a TB test within the past year?							
	apply): 🔲 PPD test 📋 interferon-gamma						
	the results of the TB test: positive needs						
Yes No Has the patient received Renfl	ent have a documented severe and/or note	nins? Intially life-threatening adverse e	went that occurred during or following				
Yes No Does the patient have a documented severe and/or potentially life-threatening adverse event that occurred during or following the previous infusion?							
$\square$ Yes $\square$ No	Yes IN No Could the adverse reaction be managed through pre-medication in the home or office setting?						
For Crohn's disease, Juvenile idiopathic arthritis, Plaque psoriasis, and Rheumatoid arthritis, Ulcerative colitis only: Please indicate the severity of the disease at baseline (pretreatment with Renflexis (infliximab-abda)): mild moderate severe							
H. ACKNOWLEDGEMENT							
Request Completed By (Signature Require	ed):		Date: / /				

Any person who knowingly files a request for authorization of coverage of a medical procedure or service with the intent to injure, defraud or deceive any insurance company by providing materially false information or conceals material information for the purpose of misleading, commits a fraudulent insurance act, which is a crime and subjects such person to criminal and civil penalties.

The plan may request additional information or clarification, if needed, to evaluate requests.