

Evicore - Q4 2023-Q3 2023 Utilization Review Decisions	
Request Type	Time
The time between submission of prior authorization requests and the determination	2.3 days
The average median time elapsed between a request for clinical records from the requesting health care provider and receipt of adequate clinical records to complete the prior authorization	7.1 days

Evicore**Health Care Provider Specialty**

Allergy Immunology

Anesthesiologist

Audiologist

Cardio Thoracic Surgery

Cardiology

Cardiovascular Surgery

Chiropractor

Clinic Nurse

Critical Care

Dentistry

Dermatology

Diagnostic Radiology

Emergency Medicine

Endocrinologist

ENT

Family Medicine

Family Practice

Gastroenterology

General Practice

General Surgery

Geriatric Medicine

Gynecology

Hand Surgery

Hematology Oncology

Hepathology

Internal Medicine

Interventional Radiology

Intfectious Disease

Maternal Fetal

Maxillofacial Surgery

Medical Oncology

Neonatel

Nephrology

Neurology

Neurosurgery

Nurse Practionier

Nurse Practitioner

OBGYN

Occupational Medicine

Oncology

Ophthalmology

Oral Surgery

Orthopedics
Osteopath Therapy
Pain Management
Pain Management
Pediatrics
Physical Medicine
Physician Assistant
Plastic Surgery
Podiatry
Proctologist
Psychiatry
Pulmonary Disease
Radiation Oncology
Radiology Oncology
Rheumatology
Sports Medicine
Surgery
Thoracic Surgery
Unknown

Evicore
Diagnostics Tests_Procedure_Text
Absolute quantitation of myocardial blood flow (AQMBF), positron emission tomography (PET), rest and
Automated quantification and characterization of coronary atherosclerotic plaque to assess severity of coronary
Bone and/or joint imaging; whole body
Brain imaging, positron emission tomography (PET); metabolic evaluation
BRAIN METASTASES
BREAST CANCER
CANCER TYPE OTHER
Cardiac blood pool imaging, gated equilibrium; multiple studies, wall motion study plus ejection fraction, at rest and
Cardiac blood pool imaging, gated equilibrium; planar, single study at rest or stress (exercise and/or pharmacologic),
Cardiac magnetic resonance imaging for morphology and function without contrast material(s), followed by contrast
Cardiac magnetic resonance imaging for morphology and function without contrast material(s), followed by contrast
Cardiac magnetic resonance imaging for morphology and function without contrast material;
Cardiac magnetic resonance imaging for velocity flow mapping (List separately in addition to code for primary
Catheter placement in coronary artery(s) for coronary angiography, including intraprocedural injection(s) for coronary
Catheter placement in coronary artery(s) for coronary angiography, including intraprocedural injection(s) for coronary
Catheter placement in coronary artery(s) for coronary angiography, including intraprocedural injection(s) for coronary
Catheter placement in coronary artery(s) for coronary angiography, including intraprocedural injection(s) for coronary angiography, imaging supervision and interpretation; with left heart catheterization including intraprocedural
Catheter placement in coronary artery(s) for coronary angiography, including intraprocedural injection(s) for coronary
Catheter placement in coronary artery(s) for coronary angiography, including intraprocedural injection(s) for coronary
Cerebral perfusion analysis using computed tomography with contrast administration, including post-processing of
Combined right and left heart catheterization including intraprocedural injection(s) for left ventriculography, imaging
Computed tomographic (CT) colonography, diagnostic, including image postprocessing; with contrast material(s)
Computed tomographic (CT) colonography, diagnostic, including image postprocessing; without contrast material
Computed tomographic angiography, abdomen and pelvis, with contrast material(s), including noncontrast images, if
Computed tomographic angiography, abdomen, with contrast material(s), including noncontrast images, if
Computed tomographic angiography, abdominal aorta and bilateral iliofemoral lower extremity runoff, with contrast
Computed tomographic angiography, chest (noncoronary), with contrast material(s), including noncontrast images, if
Computed tomographic angiography, head, with contrast material(s), including noncontrast images, if performed,
Computed tomographic angiography, heart, coronary arteries and bypass grafts (when present), with contrast
Computed tomographic angiography, neck, with contrast material(s), including noncontrast images, if performed, and
Computed tomographic angiography, upper extremity, with contrast material(s), including noncontrast images, if
Computed tomography, abdomen and pelvis; with contrast material(s)
Computed tomography, abdomen and pelvis; without contrast material
Computed tomography, abdomen and pelvis; without contrast material in one or both body regions, followed by
Computed tomography, abdomen; with contrast material(s)
Computed tomography, abdomen; without contrast material
Computed tomography, abdomen; without contrast material, followed by contrast material(s) and further sections
Computed tomography, cervical spine; without contrast material
Computed tomography, cervical spine; without contrast material, followed by contrast material(s) and further
Computed tomography, head or brain; with contrast material(s)
Computed tomography, head or brain; without contrast material
Computed tomography, head or brain; without contrast material, followed by contrast material(s) and further sections
Computed tomography, heart, with contrast material, for evaluation of cardiac structure and morphology (including

Computed tomography, heart, without contrast material, with quantitative evaluation of coronary calcium
Computed tomography, limited or localized follow-up study
Computed tomography, lower extremity; with contrast material(s)
Computed tomography, lower extremity; without contrast material
Computed tomography, lower extremity; without contrast material, followed by contrast material(s) and further
Computed tomography, lumbar spine; with contrast material
Computed tomography, lumbar spine; without contrast material
Computed tomography, lumbar spine; without contrast material, followed by contrast material(s) and further sections
Computed tomography, maxillofacial area; with contrast material(s)
Computed tomography, maxillofacial area; without contrast material
Computed tomography, maxillofacial area; without contrast material, followed by contrast material(s) and further
Computed tomography, orbit, sella, or posterior fossa or outer, middle, or inner ear; with contrast material(s)
Computed tomography, orbit, sella, or posterior fossa or outer, middle, or inner ear; without contrast material
Computed tomography, orbit, sella, or posterior fossa or outer, middle, or inner ear; without contrast material,
Computed tomography, pelvis; with contrast material(s)
Computed tomography, pelvis; without contrast material
Computed tomography, pelvis; without contrast material, followed by contrast material(s) and further sections
Computed tomography, soft tissue neck; with contrast material(s)
Computed tomography, soft tissue neck; without contrast material
Computed tomography, soft tissue neck; without contrast material followed by contrast material(s) and further
Computed tomography, thoracic spine; without contrast material
Computed tomography, thorax, diagnostic; with contrast material(s)
Computed tomography, thorax, diagnostic; without contrast material
Computed tomography, thorax, diagnostic; without contrast material, followed by contrast material(s) and further
Computed tomography, thorax, low dose for lung cancer screening, without contrast material(s)
Computed tomography, upper extremity; with contrast material(s)
Computed tomography, upper extremity; without contrast material
Computed tomography, upper extremity; without contrast material, followed by contrast material(s) and further
Destruction by neurolytic agent, paravertebral facet joint nerve(s), with imaging guidance (fluoroscopy or CT); cervical
Destruction by neurolytic agent, paravertebral facet joint nerve(s), with imaging guidance (fluoroscopy or CT); lumbar
Destruction by neurolytic agent, paravertebral facet joint nerve(s), with imaging guidance (fluoroscopy or CT); lumbar
Echocardiography, transthoracic, real-time with image documentation (2D), includes M-mode recording, when
Echocardiography, transthoracic, real-time with image documentation (2D), includes M-mode recording, when performed, during rest and cardiovascular stress test using treadmill, bicycle exercise and/or pharmacologically
ENDOMETRIAL CANCER
HEAD/NECK CARCINOMA
Injection procedure for sacroiliac joint, anesthetic/steroid, with image guidance (fluoroscopy or CT) including
Injection procedure for sacroiliac joint; provision of anesthetic, steroid and/or other therapeutic agent, with or without
Injection(s), anesthetic agent(s) and/or steroid; transforaminal epidural, with imaging guidance (fluoroscopy or CT),
Injection(s), anesthetic agent(s) and/or steroid; transforaminal epidural, with imaging guidance (fluoroscopy or CT),
Injection(s), anesthetic agent(s) and/or steroid; transforaminal epidural, with imaging guidance (fluoroscopy or CT),
Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that
Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that
Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that
Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that

Injection(s), of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution),
Injection(s), of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution),
Injection(s), of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution),
Injection, anesthetic agent; lumbar or thoracic (paravertebral sympathetic)
Injection, anesthetic agent; stellate ganglion (cervical sympathetic)
Insertion of new or replacement of permanent pacemaker with transvenous electrode(s); atrial and ventricular
Insertion of new or replacement of permanent pacemaker with transvenous electrode(s); ventricular
Insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable
Insertion of pacing electrode, cardiac venous system, for left ventricular pacing, with attachment to previously placed
Insertion or replacement of permanent implantable defibrillator system, with transvenous lead(s), single or dual
Insertion or replacement of permanent subcutaneous implantable defibrillator system, with subcutaneous electrode, including defibrillation threshold evaluation, induction of arrhythmia, evaluation of sensing for arrhythmia termination,
Left heart catheterization including intraprocedural injection(s) for left ventriculography, imaging supervision and
Liver Cancer
Magnetic resonance (eg, proton) imaging, abdomen; with contrast material(s)
Magnetic resonance (eg, proton) imaging, abdomen; without contrast material(s)
Magnetic resonance (eg, proton) imaging, abdomen; without contrast material(s), followed by with contrast
Magnetic resonance (eg, proton) imaging, any joint of lower extremity; with contrast material(s)
Magnetic resonance (eg, proton) imaging, any joint of lower extremity; without contrast material
Magnetic resonance (eg, proton) imaging, any joint of lower extremity; without contrast material(s), followed by
Magnetic resonance (eg, proton) imaging, any joint of upper extremity; with contrast material(s)
Magnetic resonance (eg, proton) imaging, any joint of upper extremity; without contrast material(s)
Magnetic resonance (eg, proton) imaging, any joint of upper extremity; without contrast material(s), followed by
Magnetic resonance (eg, proton) imaging, bone marrow blood supply
Magnetic resonance (eg, proton) imaging, brain (including brain stem); with contrast material(s)
Magnetic resonance (eg, proton) imaging, brain (including brain stem); without contrast material
Magnetic resonance (eg, proton) imaging, brain (including brain stem); without contrast material, followed by contrast
Magnetic resonance (eg, proton) imaging, chest (eg, for evaluation of hilar and mediastinal lymphadenopathy);
Magnetic resonance (eg, proton) imaging, chest (eg, for evaluation of hilar and mediastinal lymphadenopathy);
Magnetic resonance (eg, proton) imaging, fetal, including placental and maternal pelvic imaging when performed;
Magnetic resonance (eg, proton) imaging, lower extremity other than joint; with contrast material(s)
Magnetic resonance (eg, proton) imaging, lower extremity other than joint; without contrast material(s)
Magnetic resonance (eg, proton) imaging, lower extremity other than joint; without contrast material(s), followed by
Magnetic resonance (eg, proton) imaging, orbit, face, and/or neck; without contrast material(s)
Magnetic resonance (eg, proton) imaging, orbit, face, and/or neck; without contrast material(s), followed by contrast
Magnetic resonance (eg, proton) imaging, pelvis; with contrast material(s)
Magnetic resonance (eg, proton) imaging, pelvis; without contrast material(s)
Magnetic resonance (eg, proton) imaging, pelvis; without contrast material(s), followed by contrast material(s) and
Magnetic resonance (eg, proton) imaging, spinal canal and contents, cervical; with contrast material(s)
Magnetic resonance (eg, proton) imaging, spinal canal and contents, cervical; without contrast material
Magnetic resonance (eg, proton) imaging, spinal canal and contents, lumbar; with contrast material(s)
Magnetic resonance (eg, proton) imaging, spinal canal and contents, lumbar; without contrast material
Magnetic resonance (eg, proton) imaging, spinal canal and contents, thoracic; with contrast material(s)
Magnetic resonance (eg, proton) imaging, spinal canal and contents, thoracic; without contrast material
Magnetic resonance (eg, proton) imaging, spinal canal and contents, without contrast material, followed by contrast

Magnetic resonance (eg, proton) imaging, spinal canal and contents, without contrast material, followed by contrast
Magnetic resonance (eg, proton) imaging, spinal canal and contents, without contrast material, followed by contrast
Magnetic resonance (eg, proton) imaging, temporomandibular joint(s)
Magnetic resonance (eg, proton) imaging, upper extremity, other than joint; without contrast material(s)
Magnetic resonance (eg, proton) imaging, upper extremity, other than joint; without contrast material(s), followed by
Magnetic resonance (eg, vibration) elastography
Magnetic resonance angiography, abdomen, with or without contrast material(s)
Magnetic resonance angiography, chest (excluding myocardium), with or without contrast material(s)
Magnetic resonance angiography, head; with contrast material(s)
Magnetic resonance angiography, head; without contrast material(s)
Magnetic resonance angiography, head; without contrast material(s), followed by contrast material(s) and further
Magnetic resonance angiography, lower extremity, with or without contrast material(s)
Magnetic resonance angiography, neck; without contrast material(s)
Magnetic resonance angiography, neck; without contrast material(s), followed by contrast material(s) and further
Magnetic resonance angiography, pelvis, with or without contrast material(s)
Magnetic resonance angiography, upper extremity, with or without contrast material(s)
Magnetic resonance imaging without contrast followed by with contrast, breast; bilateral
Magnetic resonance imaging, brain, functional MRI; including test selection and administration of repetitive body part
Magnetic resonance imaging, breast, without and with contrast material(s), including computer-aided detection (CAD
Magnetic resonance imaging, breast, without and with contrast material(s), including computer-aided detection (CAD
Magnetic resonance imaging, breast, without contrast material; bilateral
Magnetic resonance imaging, breast, without contrast material; unilateral
Multiple sleep latency or maintenance of wakefulness testing, recording, analysis and interpretation of physiological
Myocardial imaging, positron emission tomography (PET), combined perfusion with metabolic evaluation study
Myocardial imaging, positron emission tomography (PET), metabolic evaluation study (including ventricular wall
Myocardial imaging, positron emission tomography (PET), perfusion study (including ventricular wall motion[s] and/or
Myocardial imaging, positron emission tomography (PET), perfusion study (including ventricular wall motion[s] and/or
Myocardial perfusion imaging, tomographic (SPECT) (including attenuation correction, qualitative or quantitative wall
motion, ejection fraction by first pass or gated technique, additional quantification, when performed); multiple
Myocardial perfusion imaging, tomographic (SPECT) (including attenuation correction, qualitative or quantitative wall
NON CANCER RADIATION THERAPY
Non-Hodgkins Lymphoma
Noninvasive estimate of coronary fractional flow reserve (FFR) derived from augmentative software analysis of the
Noninvasive estimated coronary fractional flow reserve (FFR) derived from coronary computed tomography
angiography data using computation fluid dynamics physiologic simulation software analysis of functional data to
Noninvasive estimated coronary fractional flow reserve (FFR) derived from coronary computed tomography
angiography data using computation fluid dynamics physiologic simulation software analysis of functional data to
Noninvasive estimated coronary fractional flow reserve (FFR) derived from coronary computed tomography
NON-SMALL CELL LUNG CANCER
Other Metastases
PANCREATIC CANCER
Polysomnography; age 6 years or older, sleep staging with 4 or more additional parameters of sleep, attended by a
Polysomnography; age 6 years or older, sleep staging with 4 or more additional parameters of sleep, with initiation of
Polysomnography; younger than 6 years, sleep staging with 4 or more additional parameters of sleep, attended by a
Polysomnography; younger than 6 years, sleep staging with 4 or more additional parameters of sleep, with initiation of

Positron emission tomography (PET) imaging; skull base to mid-thigh
Positron emission tomography (PET) imaging; whole body
Positron emission tomography (PET) with concurrently acquired computed tomography (CT) for attenuation
Positron emission tomography (PET) with concurrently acquired computed tomography (CT) for attenuation
Positron emission tomography (PET) with concurrently acquired computed tomography (CT) for attenuation
PRIMARY CNS NEOPLASMS
PROSTATE ADENOCARCINOMA
PROTON BEAM THERAPY
Radiofrequency ablation, nerves innervating the sacroiliac joint, with image guidance (ie, fluoroscopy or computed
RECTAL ADENOCARCINOMA
Removal of implantable defibrillator pulse generator with replacement of implantable defibrillator pulse generator;
Removal of implantable defibrillator pulse generator with replacement of implantable defibrillator pulse generator;
Removal of permanent pacemaker pulse generator with replacement of pacemaker pulse generator; dual lead system
Removal of permanent pacemaker pulse generator with replacement of pacemaker pulse generator; multiple lead
Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(s), unilateral; with atherectomy,
Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(s), unilateral; with transluminal
Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(s), unilateral; with transluminal
Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(s), unilateral; with transluminal
Revascularization, endovascular, open or percutaneous, iliac artery, unilateral, initial vessel; with transluminal
Revascularization, endovascular, open or percutaneous, iliac artery, unilateral, initial vessel; with transluminal stent
Right and left heart catheterization for congenital heart defect(s) including imaging guidance by the proceduralist to
Right and left heart catheterization for congenital heart defect(s) including imaging guidance by the proceduralist to
Right heart catheterization including measurement(s) of oxygen saturation and cardiac output, when performed
SKIN CANCER
Soft Tissue Sarcoma
Transcatheter implantation of wireless pulmonary artery pressure sensor for long-term hemodynamic monitoring,
including deployment and calibration of the sensor, right heart catheterization, selective pulmonary catheterization,
Urethra or Ureter Cancer

Evicore
Primary Diangosis Text
(Idiopathic) normal pressure hydrocephalus
2-part displaced fracture of surgical neck of right humerus, initial encounter for closed fracture
Abdominal aortic aneurysm, without rupture, unspecified
Abdominal distension (gaseous)
Abdominal tenderness, unspecified site
Abnormal brain scan
Abnormal coagulation profile
Abnormal electrocardiogram [ECG] [EKG]
Abnormal electroencephalogram [EEG]
Abnormal finding of blood chemistry, unspecified
Abnormal findings on diagnostic imaging of heart and coronary circulation
Abnormal findings on diagnostic imaging of limbs
Abnormal findings on diagnostic imaging of liver and biliary tract
Abnormal findings on diagnostic imaging of other abdominal regions, including retroperitoneum
Abnormal findings on diagnostic imaging of other parts of digestive tract
Abnormal findings on diagnostic imaging of other parts of musculoskeletal system
Abnormal findings on diagnostic imaging of other specified body structures
Abnormal findings on diagnostic imaging of skull and head, not elsewhere classified
Abnormal level of blood mineral
Abnormal level of hormones in specimens from other organs, systems and tissues
Abnormal levels of other serum enzymes
Abnormal radiologic findings on diagnostic imaging of right testicle
Abnormal radiologic findings on diagnostic imaging of unspecified kidney
Abnormal radiologic findings on diagnostic imaging of unspecified testicle
Abnormal reflex
Abnormal result of cardiovascular function study, unspecified
Abnormal result of other cardiovascular function study
Abnormal results of function studies of other organs and systems
Abnormal results of liver function studies
Abnormal results of other endocrine function studies
Abnormal results of pulmonary function studies
Abnormal results of thyroid function studies
Abnormal uterine and vaginal bleeding, unspecified
Abnormal weight loss
Abnormality of alphafetoprotein
Abscess of liver
Abscess of lung with pneumonia
Abscess of salivary gland
Abscess, furuncle and carbuncle of nose
Achalasia of cardia
Achilles tendinitis, left leg
Achilles tendinitis, right leg
Achilles tendinitis, unspecified leg

Achondroplasia
Acquired absence of bilateral breasts and nipples
Acquired absence of other specified parts of digestive tract
Acquired deformity of neck
Acquired stenosis of right nasolacrimal duct
Acromegaly and pituitary gigantism
Activated protein C resistance
Acute abdomen
Acute anal fissure
Acute bronchiolitis, unspecified
Acute cholecystitis
Acute coronary thrombosis not resulting in myocardial infarction
Acute cough
Acute cystitis with hematuria
Acute cystitis without hematuria
Acute diastolic (congestive) heart failure
Acute embolism and thrombosis of deep veins of unspecified upper extremity
Acute embolism and thrombosis of right peroneal vein
Acute embolism and thrombosis of unspecified deep veins of left proximal lower extremity
Acute frontal sinusitis, unspecified
Acute ischemic heart disease, unspecified
Acute lymphoblastic leukemia not having achieved remission
Acute lymphoblastic leukemia, in remission
Acute mastoiditis without complications, right ear
Acute maxillary sinusitis, unspecified
Acute myocardial infarction, unspecified
Acute nasopharyngitis [common cold]
Acute nonspecific idiopathic pericarditis
Acute on chronic systolic (congestive) heart failure
Acute pancreatitis without necrosis or infection, unspecified
Acute pansinusitis, unspecified
Acute post-traumatic headache, not intractable
Acute recurrent frontal sinusitis
Acute recurrent maxillary sinusitis
Acute recurrent pansinusitis
Acute recurrent sinusitis, unspecified
Acute respiratory distress syndrome
Acute respiratory failure with hypoxia
Acute serous otitis media, bilateral
Acute sialoadenitis
Acute sinusitis, unspecified
Acute tonsillitis due to other specified organisms
Acute transverse myelitis in demyelinating disease of central nervous system
Acute tubulo-interstitial nephritis
Adenomyosis of the uterus

Adhesive capsulitis of left shoulder
Adhesive capsulitis of right shoulder
Adolescent idiopathic scoliosis, thoracic region
Adolescent idiopathic scoliosis, thoracolumbar region
Adverse effect of unspecified drugs, medicaments and biological substances, initial encounter
Aftercare following joint replacement surgery
Age-related osteoporosis without current pathological fracture
Alcoholic cirrhosis of liver without ascites
Alcoholic polyneuropathy
Allergic bronchopulmonary aspergillosis
Altered mental status, unspecified
Alternating esotropia
Alzheimer's disease, unspecified
Amaurosis fugax
Amyotrophic lateral sclerosis
Anal fissure, unspecified
Anal fistula
Androgen excess
Anemia in other chronic diseases classified elsewhere
Anemia, unspecified
Anesthesia of skin
Aneurysm of artery of lower extremity
Aneurysm of iliac artery
Aneurysm of other specified arteries
Aneurysm of renal artery
Aneurysm of the ascending aorta, without rupture
Aneurysm of unspecified site
Aneurysmal bone cyst, right upper arm
Aneurysmal bone cyst, unspecified site
Angina pectoris, unspecified
Ankylosing hyperostosis [Forestier], site unspecified
Ankylosing spondylitis of lumbosacral region
Ankylosing spondylitis of multiple sites in spine
Anorectal fistula
Anosmia
Anterior dislocation of right humerus, subsequent encounter
Anterior subluxation of right sternoclavicular joint, subsequent encounter
Anterior tibial syndrome, left leg
Aortic aneurysm of unspecified site, without rupture
Aortic ectasia, unspecified site
Aphasia
Apnea, not elsewhere classified
Arnold-Chiari syndrome without spina bifida or hydrocephalus
Arteriovenous fistula, acquired
Arteriovenous malformation of cerebral vessels

Arteriovenous malformation, site unspecified
Arteritis, unspecified
Arthralgia of bilateral temporomandibular joint
Arthralgia of temporomandibular joint, unspecified side
Arthrodesis status
Arthropathic psoriasis, unspecified
Arthropathy, unspecified
Articular disc disorder of bilateral temporomandibular joint
Articular disc disorder of temporomandibular joint, unspecified side
Asymptomatic human immunodeficiency virus [HIV] infection status
Asymptomatic microscopic hematuria
Ataxia, unspecified
Ataxic gait
Atelectasis
Atherosclerosis of aorta
Atherosclerosis of native arteries of extremities with intermittent claudication, bilateral legs
Atherosclerosis of native arteries of extremities with intermittent claudication, left leg
Atherosclerosis of renal artery
Atherosclerotic heart disease of native coronary artery with other forms of angina pectoris
Atherosclerotic heart disease of native coronary artery with unspecified angina pectoris
Atherosclerotic heart disease of native coronary artery with unstable angina pectoris
Atherosclerotic heart disease of native coronary artery without angina pectoris
Atresia of pulmonary artery
Atrial septal defect, unspecified
Atrioventricular block, complete
Atrioventricular block, second degree
Attention-deficit hyperactivity disorder, predominantly inattentive type
Attention-deficit hyperactivity disorder, unspecified type
Atypical facial pain
Atypical small acinar proliferation of prostate
Awaiting organ transplant status
Bariatric surgery status
Barrett's esophagus without dysplasia
Basal cell carcinoma of skin of nose
Basal cell carcinoma of skin of other parts of face
Basal cell carcinoma of skin of scalp and neck
Bell's palsy
Benign essential microscopic hematuria
Benign intracranial hypertension
Benign lipomatous neoplasm of kidney
Benign lipomatous neoplasm of skin and subcutaneous tissue of head, face and neck
Benign lipomatous neoplasm of skin and subcutaneous tissue of trunk
Benign lipomatous neoplasm of skin and subcutaneous tissue of unspecified limb
Benign neoplasm of ascending colon
Benign neoplasm of bones of skull and face

Benign neoplasm of brain, supratentorial
Benign neoplasm of brain, unspecified
Benign neoplasm of central nervous system, unspecified
Benign neoplasm of cerebral meninges
Benign neoplasm of connective and other soft tissue of head, face and neck
Benign neoplasm of connective and other soft tissue of left lower limb, including hip
Benign neoplasm of connective and other soft tissue of right lower limb, including hip
Benign neoplasm of connective and other soft tissue of right upper limb, including shoulder
Benign neoplasm of connective and other soft tissue, unspecified
Benign neoplasm of cranial nerves
Benign neoplasm of left adrenal gland
Benign neoplasm of liver
Benign neoplasm of long bones of left lower limb
Benign neoplasm of long bones of right lower limb
Benign neoplasm of long bones of unspecified lower limb
Benign neoplasm of lower jaw bone
Benign neoplasm of mediastinum
Benign neoplasm of meninges, unspecified
Benign neoplasm of middle ear, nasal cavity and accessory sinuses
Benign neoplasm of other and unspecified endocrine glands
Benign neoplasm of other specified sites

Evicore**Reason for Denial**

010 Clinical history and indications submitted fail to meet medical necessity criteria

020 Clinical and Site Declined

041 Medical necessity denial

042 Investigational and experimental

063 Site not approved for selected procedure

074 Site Approved, ProcedurePartial

075 Site Denied, ProcedurePartial

076 No Site Decision, Procedure Partial

Evicore - Q4 2023-Q3 2023 Appeals	Total
Total Appealed	29
Total Approved	13
Total Denied	16
The number of appeals generated for cases denied in which there was inadequate or no prior clinical information	8