

MEDICARE FORM Feraheme[®] (ferumoxytol) and Injectafer[®] (ferric carboxymaltose) Monoferric[®] (ferric derisomaltose) Medication Precertification Request Page 1 of 3

For Medicare Advantage Part B: For other lines of business: Please use commercial form.

Note: Feraheme, Injectafer, and Monoferric are non-preferred. The preferred products are Ferrlecit (sodium ferric gluconate), Infed, and Venofer.

(All fields must be completed and legible for precertification review.)

Would you like to use electronic prior authorization? Consider using **Availity**, our electronic prior authorization portal. Learn more about **Availity** from the links in the table below.

For phone or fax requests, refer to the table below for routing information. To determine which box to use, refer to the patient's Aetna ID card. State specific special needs and Medicare-Medicaid Plans may be designated on the front of the ID card or in the website URL on the back of the card. If you don't see your specific plan listed, call the number on the back of the member's ID card to confirm routing information.

Cor Acto	a Madiaara Advantage and Alling Health Astro Mediaara members cand request to:				
	a Medicare Advantage and Allina Health Aetna Medicare members send request to: 1-866-503-0857 (TTY: 711)				
Fax:	<u>1-844-268-7263</u>				
-	https://www.aetna.com/health-care-professionals/resource-center/availity.html				
Avanity.	https://www.aetha.com/nealth-care-professionals/resource-center/avality.htm				
For Aetna send requ	a Medicare Advantage Virginia Dual Eligible Special Needs Plans (HMO D-SNP) Jest to:				
•	<u>1-855-463-0933</u>				
Fax:	1-833-280-5224				
Availity:	https://www.aetnabetterhealth.com/virginia-hmosnp/providers/portal				
	a Assure Premier Plus Medicare Advantage New Jersey Dual Eligible Special Needs Plans SNP) send request to:				
Phone:	<u>1-844-362-0934</u>				
Fax:	<u>1-833-322-0034</u>				
Availity:	https://www.aetnabetterhealth.com/new-jersey-hmosnp/providers/portal.html				
For Aetna Better Health of Illinois Premier Medicare Medicaid Plan (MMP) send request to:					
Phone:	<u>1-866-600-2139</u>				
FAX:	1-855-320-8445				
Availity:	https://www.aetnabetterhealth.com/illinois/providers/portal				
For Aetna	a Better Health of Ohio Premier Medicare Medicaid Plan (MMP) send request to:				
Phone:	<u>1-855-364-0974</u>				
Fax:	<u>1-855-734-9389</u>				
Availity:	https://www.aetnabetterhealth.com/ohio/providers/portal				
For Aetna	a Better Health of Michigan Premier Medicare Medicaid Plan (MMP) send request to:				
Phone:	<u>1-855-676-5772</u>				
Fax:	<u>1-844-241-2495</u>				
Availity:	https://www.aetnabetterhealth.com/michigan/providers/portal.html				

♥aetna[®]

MEDICARE FORM Feraheme[®] (ferumoxytol) and Injectafer[®] (ferric carboxymaltose) Monoferric[®] (ferric derisomaltose) Medication Precertification Request Page 2 of 3

(All fields must be completed and legible for precertification review.)

For Medicare Advantage Part B: For other lines of business: Please use commercial form.

Note: Feraheme, Injectafer, and Monoferric are non-preferred. The preferred products are Ferrlecit (sodium ferric gluconate), Infed, and Venofer.

Please indicate:	Start of treatment: Start date							
	Continuation of therapy, Date of	of last treatment						
Precertification I	Requested By:		Phone:		Fax:			
A. PATIENT INFO	ORMATION							
First Name:		Last Name:			DOB:			
Address:			City:		State:	ZIP:		
Home Phone:	Work Phone:		Cell Phone:	Email:				
Patient Current W	eight: lbs or kgs Patie							
B. INSURANCE I		<u> </u>		-				
) #:	Does natient ha	ve other coverage?	🗌 Yes 🗌 No				
	·		D#:					
Insured:		Insured:	<u> </u>					
Medicare:	s 🗌 No If yes, provide ID #:		Medicaid: 🗌 Yes [No If yes, provi	de ID #:			
C. PRESCRIBER				_ , ,				
First Name:		Last Name:		(Check One	e): 🗌 M.D.	🗌 D.O. 🗌 N.P. 🗌 P.A		
Address:			City:	•	State:	 ZIP:		
Phone:	Fax:	St Lic #:	NPI #:	DEA #:		UPIN:		
Provider Email:		Office Contact I			Phone:			
	one): Hematologist Internal				T Hono.			
	PROVIDER/ADMINISTRATION INFO							
		JRMATION						
Place of Adminis				rovider/Pharmacy				
Self-administer	_ ,			Physician's Office Retail Pharmacy				
	sion Center Phone:		Decialty F	Pharmacy [Other			
	ame:		Name					
Home Infusion								
Agency N								
	code(s) (CPT):					ZIP:		
			Phone:		Fax:			
	State:				PIN:			
	Fax:							
	PIN:							
E. PRODUCT INF		ofornio						
-] Feraheme 🗌 Injectafer 🗌 Mon					la.		
	Frequen NFORMATION - Please indicate prima		specify any other where a		HCPCS Coo	le:		
Primary ICD Code		Secondary IC			CD Code:			
	ORMATION - Required clinical inform				-			
	(clinical documentation required for							
•	Injectafer, and Monoferric are non-pro	• •	red products are Ferrlec	it (sodium ferric a	luconate). In	fed. and Venofer.		
	ducts do not require prior authorizat			J. (3	,,			
□Yes □No Ha	as the patient had prior therapy with the	requested product	within the last 365 days?					
□ No Has the patient had a trial and failure of any of the following? (if yes, select all that apply below)								
Ferricit (sodium ferric gluconate) Infed (iron dextran) Venofer (iron sucrose)								
→ When was the member's trial and failure of the preferred drug?								
Please describe the nature of the failure of the preferred drug								
□ No Has the patient had an adverse reaction to any the following? (if yes, select all that apply below)								
🕞 🔲 Ferrlecit (sodium ferric gluconate) 🔄 Infed (iron dextran) 🗌 Venofer (iron sucrose)								
→ When was the member's adverse reaction to the preferred drug?								

 \square Please describe the nature of the adverse reaction to the preferred drug

♥aetna[®]

MEDICARE FORM Feraheme[®] (ferumoxytol) and Injectafer[®] (ferric carboxymaltose) Monoferric[®] (ferric derisomaltose) Medication Precertification Request

For Medicare Advantage Part B: For other lines of business: Please use commercial form.

Note: Feraheme, Injectafer, and Monoferric are non-preferred. The preferred products are Ferrlecit (sodium ferric gluconate), Infed, and Venofer.

Page 3 of 3

(All fields must be completed and legible for precertification review.)

Patient First Name	Patient Last Name	Patient Phone	Patient DOB						
	nued) – Required clinical information mus								
Please explain if there are any contraindications or other medical reason(s) that the patient cannot use any of the following preferred products when indicated for									
the patient's diagnosis (select all that apply).									
☐ Ferrlecit (sodium ferric gluconate) ☐ Infed (iron dextran) ☐ Venofer (iron sucrose)									
Please indicate the patient's serum f	erritin level:								
Please indicate the patient's transferrin saturation (TSAT) level:									
☐ Yes ☐ No Was the serum ferritin and/or transferrin saturation level drawn within the last 30 days?									
☐ Yes ☐ No Is this a request for continuation of therapy?									
└────────────────────────────────────									
For chronic kidney disease indications only:									
Yes No Does the patient have iron deficiency anemia associated with chronic kidney disease?									
🖵 Yes 🔲 No 🛛 Is the patient non-dialysis dependent (NDD) or undergoing peritoneal dialysis?									
Please explain: 🗌 The patient is non-dialysis dependent (NDD) 🔲 The patient is undergoing peritoneal dialysis									
For all other non- chronic kidney disease indications:									
The patient is unable to tolerate oral iron compounds									
The patient is losing iron (blood) at a rate that is too rapid for oral intake to compensate for the loss									
The patient has a gastrointestinal tract disorder, such as inflammatory bowel disease (ulcerative colitis, and Crohn's disease) that may be aggravated by oral iron therapy									
The patient is unable to maintain iron balance on treatment with hemodialysis									
☐ The patient is donating large amounts of blood for autologous programs									
The patient has failed to heed instructions for oral iron supplementation or are incapable of accepting or following them									
The patient has heart failure and iron deficiency with or without anemia									
The patient has iron deficiency and chemotherapy-induced anemia									
The patient has iron deficiency anemia due to heavy uterine bleeding									
The patient has iron deficiency following gastric bypass surgery and/or subtotal gastric resection and who exhibited decreased absorption of oral iron									
H. ACKNOWLEDGEMENT									
Request Completed By (Signature	e Required):		Date: / /						
any insurance company by providing		Is material information for the p	with the intent to injure, defraud or deceive purpose of misleading, commits a fraudulent						

The plan may request additional information or clarification, if needed, to evaluate requests.