



MEDICARE FORM

Tysabri® (natalizumab) and Tyruko® (natalizumab-sztn) Medication Precertification Request

Page 1 of 4

(All fields must be completed and legible for precertification review.)

For Medicare Advantage Part B:
For other lines of business:
Please use commercial form.

Note: For the treatment of Crohn's disease, Tysabri and Tyruko are non-preferred. Entyvio, Inflectra and Renflexis are preferred for MA plans and Humira, Idacio, Rinvoq, Skyrizi, and Stelara are preferred for MAPD plans. For the treatment of multiple sclerosis, Tysabri is preferred.

Would you like to use electronic prior authorization? Consider using **Availity**, our electronic prior authorization portal. Learn more about **Availity** from the links in the table below.

For phone or fax requests, refer to the table below for routing information. To determine which box to use, refer to the patient's Aetna ID card. State specific special needs and Medicare-Medicaid Plans may be designated on the front of the ID card or in the website URL on the back of the card. If you don't see your specific plan listed, call the number on the back of the member's ID card to confirm routing information.

For **Aetna Medicare Advantage** and **Allina Health Aetna Medicare** members send request to:

Phone: [1-866-503-0857](tel:1-866-503-0857) (TTY: [711](tel:1-866-503-0857))

Fax: [1-844-268-7263](tel:1-844-268-7263)

Availity: <https://www.aetna.com/health-care-professionals/resource-center/availability.html>

For Aetna Medicare Advantage **Virginia Dual Eligible Special Needs Plans** (HMO D-SNP) send request to:

Phone: [1-855-463-0933](tel:1-855-463-0933)

Fax: [1-833-280-5224](tel:1-833-280-5224)

Availity: <https://www.aetnabetterhealth.com/virginia-hmosnp/providers/portal>

For Aetna Assure Premier Plus Medicare Advantage **New Jersey Dual Eligible Special Needs Plans** (HMO D-SNP) send request to:

Phone: [1-844-362-0934](tel:1-844-362-0934)

Fax: [1-833-322-0034](tel:1-833-322-0034)

Availity: <https://www.aetnabetterhealth.com/new-jersey-hmosnp/providers/portal.html>

For Aetna Better Health of **Illinois Premier Medicare Medicaid Plan** (MMP) send request to:

Phone: [1-866-600-2139](tel:1-866-600-2139)

FAX: [1-855-320-8445](tel:1-855-320-8445)

Availity: <https://www.aetnabetterhealth.com/illinois/providers/portal>

For Aetna Better Health of **Ohio Premier Medicare Medicaid Plan** (MMP) send request to:

Phone: [1-855-364-0974](tel:1-855-364-0974)

Fax: [1-855-734-9389](tel:1-855-734-9389)

Availity: <https://www.aetnabetterhealth.com/ohio/providers/portal>

For Aetna Better Health of **Michigan Premier Medicare Medicaid Plan** (MMP) send request to:

Phone: [1-855-676-5772](tel:1-855-676-5772)

Fax: [1-844-241-2495](tel:1-844-241-2495)

Availity: <https://www.aetnabetterhealth.com/michigan/providers/portal.html>



MEDICARE FORM

Tysabri® (natalizumab) and Tyruko® (natalizumab-sztn) Medication Precertification Request

Page 2 of 4

All fields must be completed and legible for precertification review.)

For Medicare Advantage Part B:
For other lines of business:
Please use commercial form.

Note: For the treatment of Crohn's disease, Tysabri and Tyruko are non-preferred. Entyvio, Inflectra and Renflexis are preferred for MA plans and Humira, Idacio, Rinvoq, Skyrizi, and Stelara are preferred for MAPD plans. For the treatment of multiple sclerosis, Tysabri is preferred.

Please indicate: Start of treatment: Start date ____ / ____ / ____
 Continuation of therapy: Date of last treatment ____ / ____ / ____

Precertification Requested By: _____ Phone: _____ Fax: _____

A. PATIENT INFORMATION

First Name:		Last Name:		
Address:		City:	State:	ZIP:
Home Phone:	Work Phone:		Cell Phone:	
DOB:	Allergies:		E-mail:	
Current Weight: _____ lbs or _____ kgs		Height: _____ inches or _____ cms		

B. INSURANCE INFORMATION

Member ID #: _____	Does patient have other coverage? <input type="checkbox"/> Yes <input type="checkbox"/> No
Group #: _____	If yes, provide ID#: _____ Carrier Name: _____
Insured: _____	Insured: _____

C. PRESCRIBER INFORMATION

First Name:		Last Name:			(Check One): <input type="checkbox"/> M.D. <input type="checkbox"/> D.O. <input type="checkbox"/> N.P. <input type="checkbox"/> P.A.		
Address:		City:	State:	ZIP:			
Phone:	Fax:	St Lic #:	NPI #:	DEA #:	UPIN:		
Provider Email:		Office Contact Name:		Phone:			

D. DISPENSING PROVIDER/ADMINISTRATION INFORMATION

Place of Administration:		Dispensing Provider/Pharmacy:	
<input type="checkbox"/> Self-administered	<input type="checkbox"/> Physician's Office	<input type="checkbox"/> Physician's Office	<input type="checkbox"/> Retail Pharmacy
<input type="checkbox"/> Outpatient Infusion Center	Phone: _____	<input type="checkbox"/> Specialty Pharmacy	<input type="checkbox"/> Other: _____
Center Name: _____		Name: _____	
<input type="checkbox"/> Home Infusion Center	Phone: _____	Address: _____	
Agency Name: _____		City: _____ State: _____ ZIP: _____	
<input type="checkbox"/> Administration code(s) (CPT): _____		Phone: _____ Fax: _____	
Address: _____		TIN: _____ PIN: _____	
City: _____ State: _____ ZIP: _____		NPI: _____	
Phone: _____ Fax: _____			
TIN: _____ PIN: _____			
NPI: _____			

E. PRODUCT INFORMATION

Request is for: Tysabri Tyruko Dose: _____ Frequency: _____ HCPCS Code: _____

F. DIAGNOSIS INFORMATION – Please indicate primary ICD Code and specify any other where applicable.

Primary ICD Code: _____ Secondary ICD Code: _____ Other ICD Code: _____

G. CLINICAL INFORMATION – Required clinical information must be completed in its entirety for all precertification requests.

For Initiation Requests for Crohn's Disease (clinical documentation required for all requests):

Note: For the treatment of Crohn's disease, Tysabri and Tyruko are non-preferred. Entyvio, Inflectra and Renflexis are preferred for MA plans and Humira, Idacio, Rinvoq, Skyrizi, and Stelara are preferred for MAPD plans. For the treatment of multiple sclerosis, Tysabri is preferred.

Yes No Has the patient had prior therapy with the requested product within the last 365 days?

No Has the patient had a trial and failure of any of the following? (if yes, select all that apply below)

Entyvio (vedolizumab) Inflectra (infliximab-dyyb) Renflexis (infliximab-abda)

→ When was the member's trial and failure of the preferred drug? _____

→ Please describe the nature of the failure of the preferred drug _____

No Has the patient had an adverse reaction to any of the following? (if yes, select all that apply below)

Entyvio (vedolizumab) Inflectra (infliximab-dyyb) Renflexis (infliximab-abda)

→ When was the member's adverse reaction to the preferred drug? _____

→ Please describe the nature of the adverse reaction to the preferred drug _____

Continued on next page



MEDICARE FORM

Tysabri® (natalizumab) and Tyruko® (natalizumab-sztn) Medication Precertification Request

Page 3 of 4

(All fields must be completed and legible for precertification review.)

For Medicare Advantage Part B:
For other lines of business:
Please use commercial form.

Note: For the treatment of Crohn's disease, Tysabri and Tyruko are non-preferred. Entyvio, Inflectra and Renflexis are preferred for MA plans and Humira, Idacio, Rinvoq, Skyrizi, and Stelara are preferred for MAPD plans. For the treatment of multiple sclerosis, Tysabri is preferred.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB
--------------------	-------------------	---------------	-------------

G. CLINICAL INFORMATION (continued) – Required clinical information must be completed in its entirety for all precertification requests.

For Initiation Requests for Crohn's Disease continued (clinical documentation required for all requests):

- No Has the patient had a trial and failure of any of the following? (if yes, select all that apply below)
 - Humira (adalimumab) Idacio (adalimumab-aacf) Rinvoq (upadacitinib) Skyrizi (risankizumab-rzaa) Stelara (ustekinumab)
 - When was the member's trial and failure of the preferred drug? _____
 - Please describe the nature of the failure of the preferred drug _____
- No Has the patient had an adverse reaction to any of the following? (if yes, select all that apply below)
 - Humira (adalimumab) Idacio (adalimumab-aacf) Rinvoq (upadacitinib) Skyrizi (risankizumab-rzaa) Stelara (ustekinumab)
 - When was the member's adverse reaction to the preferred drug? _____
 - Please describe the nature of the adverse reaction to the preferred drug _____

Please explain if there are any contraindications or other medical reason(s) that the patient cannot use any of the following preferred products when indicated for the patient's diagnosis (select all that apply).

- Entyvio (vedolizumab) Inflectra (infliximab-dyyb) Renflexis (infliximab-abda)

Please explain if there are any contraindications or other medical reason(s) that the patient cannot use any of the following preferred products when indicated for the patient's diagnosis (select all that apply).

- Humira (adalimumab) Idacio (adalimumab-aacf) Rinvoq (upadacitinib) Skyrizi (risankizumab-rzaa) Stelara (ustekinumab)

For All Requests (clinical documentation required for all requests):

- Yes No Does the patient have a documented anti-JCV antibody test with ELISA prior to initiating treatment?
 - Please indicate the date of the anti-JCV antibody test: ____ / ____ / ____
 - Please indicate the results of the anti-JCV antibody test with ELISA: positive negative
- Yes No Will the patient have documented anti-JCV antibody testing with ELISA annually after initiating treatment with Tysabri (natalizumab)?
- Yes No Is this infusion request in an outpatient hospital setting?
 - Yes No Is the patient medically unstable for infusions at alternate levels of care?
- Yes No Does the patient have a history of any cardiopulmonary conditions?
 - Please provide the description of the condition: _____
- Yes No Does this condition cause an increased risk of severe adverse reactions?
- Yes No Does the patient have documentation of unstable vascular access?
- Yes No Is there clinical evidence that the patient has an inability to safely tolerate intravenous volume load (including from unstable renal function)?
 - Yes No Is the inability to tolerate intravenous volume load due to unstable renal function?
 - Please document the following: GFR: ____ mL/min/1.73m² Date Collected: ____ / ____ / ____
 - BUN: ____ mg/dL Date Collected: ____ / ____ / ____
 - Creatinine: ____ mg/dL Date Collected: ____ / ____ / ____

For Initiation Requests:

Crohn's Disease

- Yes No Does the patient have a diagnosis of fistulizing Crohn's disease?
 - Please indicate how long the patient has been diagnosed with fistulizing Crohn's disease:
Please select: Less than 1 month 1 month 2 months 3 months or greater
- Yes No Does the patient have a diagnosis of Crohn's disease?
 - Please indicate the severity of the patient's disease: mild moderate severe
 - Yes No Does the patient have a documented diagnosis of active Crohn's disease?
 - Please select all signs/symptoms that apply:
 - abdominal pain arthritis bleeding diarrhea internal fistulae intestinal obstruction
 - megacolon perianal disease spondylitis weight loss None of the above
 - Yes No Have symptoms remained active despite treatment with conventional Crohn's disease therapies (e.g., sulfasalazine, corticosteroids, or immunosuppressive agents (e.g., 6-mercaptopurine, azathioprine)?
 - Please check all medications that apply: 6-mercaptopurine (6-MP) azathioprine sulfasalazine
 - corticosteroids Other, please explain: _____
- Please indicate the length of the medication trial: Less than 1 month 1 month 2 months 3 months or greater
- Yes No Will Tysabri (natalizumab) be used concomitantly with immunosuppressants?
- Yes No Will Tysabri (natalizumab) be used concomitantly with tumor necrosis factor inhibitors (TNF inhibitors) (e.g., adalimumab, infliximab)?

Continued on next page



MEDICARE FORM

Tysabri® (natalizumab) and Tyruko® (natalizumab-sztn) Medication Precertification Request

Page 4 of 4

(All fields must be completed and legible for precertification review.)

For Medicare Advantage Part B:
For other lines of business:
Please use commercial form.

Note: For the treatment of Crohn's disease, Tysabri and Tyruko are non-preferred. Entyvio, Inflectra and Renflexis are preferred for MA plans and Humira, Idacio, Rinvoq, Skyrizi, and Stelara are preferred for MAPD plans. For the treatment of multiple sclerosis, Tysabri is preferred.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB
--------------------	-------------------	---------------	-------------

G. CLINICAL INFORMATION (continued) – Required clinical information must be completed in its entirety for all precertification requests.

For Initiation Requests continued:

Multiple Sclerosis

Which of the following types of MS has the patient been diagnosed with:

Relapsing-Remitting MS (RRMS) Primary-Progressive MS (PPMS) Progressive-Relapsing MS (PRMS) Secondary-Progressive MS (SPMS)

Yes No Has the patient discontinued other medications used for treating MS (not including Ampyra (dalfampridine))?

How many of the following preferred alternatives have treatment with an adequate trial been ineffective, not tolerated or is contraindicated?

Aubagio (teriflunomide), Avonex (interferon beta-1a), Betaseron (interferon beta-1b), Gilenya (fingolimod), Glatopa/Copaxone/glatiramer, Lemtrada (alemtuzumab), Plegridy (peginterferon beta-1a), Rebif (interferon beta-1a), Tecfidera (dimethyl fumarate)

0 1 2 3 4 or more

For Continuation Requests (clinical documentation required for all requests):

Please indicate the length of time on Tysabri (natalizumab): _____

Yes No Is this continuation request a result of the patient receiving samples of Tysabri (natalizumab)?

Yes No Has the patient had a documented anti-JCV antibody test with ELISA within the last 12 months?

→ Please indicate the date of the last anti-JCV antibody test with ELISA: ____ / ____ / ____

Please indicate the results of the anti-JCV antibody test with ELISA: positive negative

Yes No Has the patient received Tysabri (natalizumab) within the past 6 months?

→ Yes No Does the patient have a documented severe and/or potentially life-threatening adverse event that occurred during or following the previous infusion?

→ Yes No Could the adverse reaction be managed through pre-medication in the office setting?

Yes No Is there clinical documentation supporting disease stability?

Yes No Is there clinical documentation supporting disease improvement?

H. ACKNOWLEDGEMENT

Request Completed By (Signature Required): _____ Date: ____ / ____ / ____

Any person who knowingly files a request for authorization of coverage of a medical procedure or service with the intent to injure, defraud or deceive any insurance company by providing materially false information or conceals material information for the purpose of misleading, commits a fraudulent insurance act, which is a crime and subjects such person to criminal and civil penalties.

The plan may request additional information or clarification, if needed, to evaluate requests.