

MEDICARE FORM

Immune Globulin (IG) Therapy Medication and/or Infusion Precertification Request

Page 1 of 3

(All fields must be completed and legible for precertification review.)

Please indicate:			te / / ate of last treatment _		<u>'</u>	ard pro C,	e non-prefei oducts are (lyqvia, and Panzyga rred. The preferred Sammaked, Gamunex- ctagam, Privigen
Precertification R	Requested B	y:			Phone:		_Fax:	
A. PATIENT INFOR	RMATION							
First Name:			Last Name:				DOB:	
Address:				City	y :		State:	ZIP:
Home Phone:		Work Phone:		Cel	I Phone:		Email:	<u>.</u>
Current Weight:	lbs or	kgs Height:	inches orcm	ns Alle	ergies:		1	
B. INSURANCE IN	FORMATION							
Aetna Member ID #:			Does patient have	Does patient have other coverage?				
Group #:			If yes, provide IDa	If yes, provide ID#: Carrier Name:				
Insured:			Insured:					
Medicare: Yes	☐ No If yes,	provide ID #:		Medi	caid: Yes No It	f yes, provide ID) #:	
C. PRESCRIBER I	NFORMATION							
First Name:			Last Name:	1		(Check One):	·] D.O. 🗌 N.P. 🗌 P.A.
Address:					City:		State:	ZIP:
Phone:	F	ax:	St Lic #:		NPI #:	DEA #:	l	JPIN:
Provider Email:			Office Contact Name:			Phone:		
D. DISPENSING P	ROVIDER/ADI	MINISTRATION INFO	RMATION					
Center Na ☐ Home Infusion Agency N	sion Center ame: Center ame: code(s) (CPT	Phone:			☐ Physician's Office ☐ Specialty Pharma Name: Address: Phone: TIN:	acy 🗌 Mail O	order Ot	
E. PRODUCT INFO								
Request is for: Gammagard Dose:	☐ Asceniv ☐ Gammaplex	Frequency:	☐ Hizentra ☐ H	uvitru yQvia	☐ Octagam ☐ HCPCS Code:	Panzyga	☐ Privigen	Gammaked Xembify IV IM SC
			ary ICD Code and speci					
Primary ICD Code:		<u> </u>	condary ICD Code:			Other ICD Cod	· ·	
Please provide the Immunoglobulin A (Immunoglobulin G (Immunoglobulin M For All Requests: (Note: Asceniv, Biv are Gammaked, G	current immu (IgA) level and (IgG) level and (IgM) level and (Clinical docu vigam, Cutaqu amunex-C, Hi	unoglobulin levels: date obtained: date obtained: date obtained: mentation required fig, Cuvitru, Fleboga	or all requests) mma, Gammagard, Ga vigen and Xembify.	ammap	entirety for all precertifications and Panzy product within the last 3	ga, are non-pr	Date Date	:
☐ Yes ☐ No Ha Please explain if the ☐ Yes ☐ No Is t	s the patient here are any other	ad a trial and failure, in medical reason(s)	ntolerance, or contraind that the patient cannot munoglobulin product?	ication use Ga	to Gammaked, Gamune mmaked, Gamunex-C, I	ex-C, Hizentra,	•	· ·
	es the patient	nave immunoglobulin	A (IgA) deficiency with	antı-Ig <i>F</i>	antibodies?			

Continued on next page

For Medicare Advantage Part B:

For other lines of business: Please use other form.

1-844-268-7263

PHONE: 1-866-503-0857 (TTY: 711)

Note: Asceniv, Bivigam, Cutaquig,

Cuvitru, Flebogamma, Gammagard,

FAX:



MEDICARE FORM

Immune Globulin (IG) Therapy Medication and/or Infusion Precertification Request

Page 2 of 3

(All fields must be completed and legible for precertification review.)

For Medicare Advantage Part B:

FAX: <u>1-844-268-7263</u>

PHONE: 1-866-503-0857 (TTY: 711)

For other lines of business: Please use other form.

Note: Asceniv, Bivigam, Cutaquig, Cuvitru, Flebogamma, Gammagard, Gammaplex, Hyqvia, and Panzyga are non-preferred. The preferred products are Gammaked, Gamunex-C, Hizentra, Octagam, Privigen and Xembify.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB					
G. CLINICAL INFORMATION (continued)	Required clinical information must	he completed in its entirety for all pre-	certification requests					
For All requests continued: Please indicat								
Acquired red cell aplasia	e which of the following applies to the	e patient and answer subsequent ques	SHOTIS					
Acute disseminated encephalomyelitis								
Autoimmune mucocutaneous blistering of	lisasses							
Please select which applies to the		☐ Epidermolysis bullosa acquisita	☐ Gestational Pemphigoid					
Flease select which applies to the	Linear IgA disease	☐ Mucous membrane pemphigoid						
	☐ Pemphigus vulgaris	Pemphigus foliaceus	☐ None of the above					
☐ Yes ☐ No. Has nation failed		_ r cmpmgus ionaceus	I Notice of the above					
	☐ Yes ☐ No Has patient failed conventional therapy? ☐ Yes ☐ No Does the patient have contraindications to conventional therapy?							
		have rapidly progressive disease in w	hich a clinical response could not be					
		uickly enough using conventional age						
☐ Autoimmune hemolytic anemia (refractor	ry)							
☐ Autoimmune neutropenia (refractory)								
☐ B-cell chronic lymphocytic leukemia (CLI	_)							
	have hypogammaglobulinemia asso							
	have recurrent infections or specific	antibody deficiency?						
☐ Birdshot (vitiligenous) retinochoroidopath	ny							
☐ BK virus associated nephropathy								
☐ Chronic inflammatory demyelinating poly								
	esponded to previous intravenous im	mune globulin (IVIG) therapy?						
Churg-Strauss Syndrome (CSS) (allergio		24h						
	d as adjunctive therapy for persons w							
	rentions been unsuccessful, become ich applies: Unsuccessful Int							
☐ Dermatomyositis	icii applies. 🔲 Olisuccessiui 🔛 ilit	olerable						
l ·	as adjunctive therapy for persons wh	no have had an inadequate response t	to first and second line therapies?					
☐ Enteroviral meningoencephalitis	,							
☐ Guillain-Barre Syndrome (GBS) and GBS	S variants							
	een diagnosed during the first 2 wee	ks of illness?						
	require aid to walk? (must be severe							
☐ Yes ☐ No Does the patient	have any contraindications to IVIG?							
☐ Hematophagocytic lymphohistiocytosis (HLH) or macrophage activation synd	rome (MAS)						
☐ Yes ☐ No Does the patient								
	he IgG level: 🗌 Less than 400mg/dL							
l 	s the IgG level two standard deviation	ns below the mean for age?						
☐ Hemolytic disease of newborn								
· — — ·	decrease the need for exchange train	nstusion?						
☐ HIV infected children	r bactarial control or provention of inf	action?						
HIV- associated thrombocytopenia (pedi	r bacterial control or prevention of inf	ection?						
☐ Hyperimmunoglobulinemia E Syndrome	atric or addity							
Yes No Is this request fo	r treatment of severe eczema?							
☐ Immune or Idiopathic thrombocytopenic								
1 -	,	gery, to control excessive bleeding, or	to defer or avoid splenectomy)?					
			Date:/ /					
☐ Kawasaki Disease	·							
☐ Lambert-Eaton myasthenic syndrome								
☐ Moersch-Woltmann (Stiff-man) syndrome	e (unresponsive to other therapies)							
☐ Multifocal motor neuropathy								
<u> </u>	Yes No Does the patient have progressive, symptomatic multifocal motor neuropathy?							
=	Yes No Was the diagnosis based on electrophysiologic findings that rule out other possible conditions that may not respond to this treatment?							
☐ Multiple Myeloma ☐ Myasthenia Gravis ☐ Neonatal Alloimmune Thrombocytopenia (NAIT) (also known as Fetal Alloimmune Thrombocytopenia or FAIT)								
□ Neonatal Hemochromatosis (prophylaxis) □ Opsoclonus-myoclonus □ Paraneoplastic opsoclonus-myoclonus-ataxia associated with neuroblastoma								
	Parvovirus B19 infection (chronic with severe anemia) Polymyositis in persons who are resistant to first and second line therapies							
☐ Post-transfusion purpura ☐ Preparatio	☐ Post-transfusion purpura ☐ Preparation for thymoma surgery (to prevent myasthenia exacerbation) ☐ Primary humoral immunodeficiency diseases:							



MEDICARE FORM

Immune Globulin (IG) Therapy Medication and/or Infusion Precertification Request

Page 3 of 3

(All fields must be completed and legible for precertification review.)

For Medicare Advantage Part B:

FAX: <u>1-844-268-7263</u>

PHONE: 1-866-503-0857 (TTY: 711)

For other lines of business: Please use other form.

Note: Asceniv, Bivigam, Cutaquig, Cuvitru, Flebogamma, Gammagard, Gammaplex, Hyqvia, and Panzyga are non-preferred. The preferred products are Gammaked, Gamunex-C, Hizentra, Octagam, Privigen and Xembify.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB			
C CLINICAL INFORMATION (continued)	Paguired clinical information must be	as completed in its entirely for all presentific	ortion requests			
G. CLINICAL INFORMATION (continued) -		be completed in its <u>entirety</u> for all precentific	ation requests.			
- · ·	a (X-linked agammaglobulinemia) hyperimmunoglobulin M a (Good Syndrome) yndrome)) proaches (i.e., interferons) failed, bed	☐ Common variable immunodeficiency ☐ Hypogammaglobulinemia ☐ Severe combined immunodeficiency come intolerable, or contraindicated? aches have become intolerable ☐ Standa	☐ Hyper IgM syndromes ☐ Wiscott- Aldrich Syndrome ☐ None of the Above			
Renal transplantation from live donor with Yes No Is a suitable non-re Secondary immunosuppression associate (extensive burns, or collagen-vascular dise Selective IgG subclass deficiencies with se Solid organ transplantation Yes No Will IVIG be used to Staphylococcal Toxic Shock Syndrome Stem cell or bone marrow transplantation Systemic lupus erythematosus (SLE) (for Yes No Have other intervetoric please select: Toxic epidermal necrolysis (Lyell's syndrome Toxic shock syndrome or toxic necrotizing	eactive live or cadaveric donor unavarid with major surgery (such as cardial eases) evere infection for persons meeting strong allosensitized members undergoing persons with severe active SLE) ntions been unsuccessful, become including and Steven-Johnson Syndrome	ailable (preparative regimen)? Ic transplants) and certain diseases selection criteria Ing solid organ transplant? Intolerable, or are contraindicated? Intraindicated				
For Continuation Requests:(Clinical documentation required for all requests): Yes No Has the patient demonstrated an adequate response to therapy? If Yes, please send documentation of the patient's progress (include specific significant or life-threatening infections and dates of occurrences as well as the member's current dosage). Has the patient received IVIG within the past 6 months? Yes No Does the patient have a documented severe and/or potentially life-threatening adverse event that occurred during or following the previous infusion? Yes No Could the adverse reaction be managed through pre-medication in the home or office setting?						
H. ACKNOWLEDGEMENT						
Request Completed By (Signature Requ	ired):		Date: / /			
Any person who knowingly files a request for authorization of coverage of a medical procedure or service with the intent to injure, defraud or deceive any insurance company by providing materially false information or conceals material information for the purpose of misleading, commits a fraudulent insurance act, which is a crime and subjects such person to criminal and civil penalties.						

The plan may request additional information or clarification, if needed, to evaluate requests.