



MEDICARE FORM Lupron Depot® (leuprolide acetate for depot suspension) Medication Precertification Request

Page 1 of 4

(All fields must be completed and legible for precertification review.)

For Medicare Advantage Part B:
For other lines of business:
Please use commercial form.

Note: Lupron Depot is non-preferred. The preferred product is Eligard. Eligard does not require precertification.

Would you like to use electronic prior authorization? Consider using **Availity**, our electronic prior authorization portal. Learn more about **Availity** from the links in the table below.

For phone or fax requests, refer to the table below for routing information. To determine which box to use, refer to the patient's Aetna ID card. State specific special needs and Medicare-Medicaid Plans may be designated on the front of the ID card or in the website URL on the back of the card. If you don't see your specific plan listed, call the number on the back of the member's ID card to confirm routing information.

For **Aetna Medicare Advantage** and **Allina Health Aetna Medicare** members send request to:

Phone: [1-866-503-0857](tel:1-866-503-0857) (TTY: [711](tel:1-866-503-0857))

Fax: [1-844-268-7263](tel:1-844-268-7263)

Availity: <https://www.aetna.com/health-care-professionals/resource-center/availity.html>

For Aetna Medicare Advantage **Virginia Dual Eligible Special Needs Plans** (HMO D-SNP) send request to:

Phone: [1-855-463-0933](tel:1-855-463-0933)

Fax: [1-833-280-5224](tel:1-833-280-5224)

Availity: <https://www.aetnabetterhealth.com/virginia-hmosnp/providers/portal>

For Aetna Assure Premier Plus Medicare Advantage **New Jersey Dual Eligible Special Needs Plans** (HMO D-SNP) send request to:

Phone: [1-844-362-0934](tel:1-844-362-0934)

Fax: [1-833-322-0034](tel:1-833-322-0034)

Availity: <https://www.aetnabetterhealth.com/new-jersey-hmosnp/providers/portal.html>

For Aetna Better Health of **Illinois Premier Medicare Medicaid Plan** (MMP) send request to:

Phone: [1-866-600-2139](tel:1-866-600-2139)

FAX: [1-855-320-8445](tel:1-855-320-8445)

Availity: <https://www.aetnabetterhealth.com/illinois/providers/portal>

For Aetna Better Health of **Ohio Premier Medicare Medicaid Plan** (MMP) send request to:

Phone: [1-855-364-0974](tel:1-855-364-0974)

Fax: [1-855-734-9389](tel:1-855-734-9389)

Availity: <https://www.aetnabetterhealth.com/ohio/providers/portal>

For Aetna Better Health of **Michigan Premier Medicare Medicaid Plan** (MMP) send request to:

Phone: [1-855-676-5772](tel:1-855-676-5772)

Fax: [1-844-241-2495](tel:1-844-241-2495)

Availity: <https://www.aetnabetterhealth.com/michigan/providers/portal.html>



MEDICARE FORM
Lupron Depot® (leuprolide acetate for depot suspension) Medication
Precertification Request

Page 2 of 4

(All fields must be completed and legible for precertification review.)

For Medicare Advantage Part B:
For other lines of business:
 Please use commercial form.

Note: Lupron Depot is non-preferred. The preferred product is Eligard. Eligard does not require precertification.

Please indicate: Start of treatment: Start date ____ / ____ / ____
 Continuation of therapy, Date of last treatment ____ / ____ / ____

Precertification Requested By: _____ **Phone:** _____ **Fax:** _____

A. PATIENT INFORMATION

First Name:		Last Name:		DOB:	
Address:			City:		State: ZIP:
Home Phone:		Work Phone:		Cell Phone: Email:	
Patient Current Weight: ____ lbs or ____ kgs			Patient Height: ____ inches or ____ cms		Allergies:

B. INSURANCE INFORMATION

Aetna Member ID #: _____		Does patient have other coverage? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Group #: _____		If yes, provide ID#: _____ Carrier Name: _____	
Insured: _____		Insured: _____	
Medicare: <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, provide ID #:		Medicaid: <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, provide ID #:	

C. PRESCRIBER INFORMATION

First Name:		Last Name:		(Check One): <input type="checkbox"/> M.D. <input type="checkbox"/> D.O. <input type="checkbox"/> N.P. <input type="checkbox"/> P.A.	
Address:			City:		State: ZIP:
Phone:		Fax:		St Lic #: NPI #: DEA #: UPIN:	
Provider Email:			Office Contact Name:		Phone:

Specialty (Check one): Endocrinologist Gynecologist Oncologist Other: _____

D. DISPENSING PROVIDER/ADMINISTRATION INFORMATION

Place of Administration:		Dispensing Provider/Pharmacy: Patient Selected choice	
<input type="checkbox"/> Self-administered <input type="checkbox"/> Physician's Office		<input type="checkbox"/> Physician's Office <input type="checkbox"/> Retail Pharmacy	
<input type="checkbox"/> Outpatient Infusion Center Phone: _____		<input type="checkbox"/> Specialty Pharmacy <input type="checkbox"/> Other	
Center Name: _____		Name: _____	
<input type="checkbox"/> Home Infusion Center Phone: _____		Address: _____	
Agency Name: _____		City: _____ State: _____ ZIP: _____	
<input type="checkbox"/> Administration code(s) (CPT): _____		Phone: _____ Fax: _____	
Address: _____		TIN: _____ PIN: _____	
City: _____ State: _____ ZIP: _____		NPI: _____	
Phone: _____ Fax: _____			
TIN: _____ PIN: _____			
NPI: _____			

E. PRODUCT INFORMATION

Request is for: Lupron Depot (leuprolide acetate for depot suspension) Dose: _____ **Frequency:** _____

F. DIAGNOSIS INFORMATION - Please indicate primary ICD code and specify any other where applicable.

Primary ICD Code: _____ **Secondary ICD Code:** _____ **Other ICD Code:** _____

G. CLINICAL INFORMATION - Required clinical information must be completed in its entirety for all precertification requests.

For Initiation Requests (clinical documentation required for all requests):

Note: Lupron Depot is non-preferred for prostate cancer, gender dysphoria and recurrent androgen receptor positive salivary gland tumors. The preferred product is Eligard. Eligard does not require precertification.

Yes No Has the patient had prior therapy with the requested product within the last 365 days?
 Yes No Has the patient had a trial and failure of Eligard?
 → When was the member's trial and failure of Eligard? _____
 → Please describe the nature of the failure of Eligard _____
 Yes No Has the patient had an adverse reaction to Eligard?
 → When was the member's adverse reaction to Eligard? _____
 → Please describe the nature of the adverse reaction to Eligard _____

Please explain if there are any contraindications or other medical reason(s) that the patient cannot use Eligard when indicated for the patient's diagnosis.

Continued on next page



MEDICARE FORM
**Lupron Depot® (leuprolide acetate
 for depot suspension) Medication**
Precertification Request

Page 3 of 4

(All fields must be completed and legible for precertification review.)

For Medicare Advantage Part B:
For other lines of business:
 Please use commercial form.

Note: Lupron Depot is non-
preferred. The preferred product
is Eligard. Eligard does not
require precertification.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB
--------------------	-------------------	---------------	-------------

G. CLINICAL INFORMATION (continued) – Required clinical information must be completed in its entirety for all precertification requests.

Yes No Is this request for Lupron Depot-PED?

→ Please use the Lupron Depot-PED form for this request.

For gender dysphoria, malignant sex cord-stromal tumors, prostate cancer, recurrent salivary gland tumors indications only:

Please select which Lupron Depot dose is being requested: 3.75 mg 7.5 mg 11.25 mg 22.5 mg 30 mg 45 mg

Gender dysphoria

Yes No Is the requested drug being prescribed for pubertal hormonal suppression in an adolescent patient?

→ Yes No Is the patient undergoing gender transition?

Yes No Will the patient receive the requested drug concomitantly with gender-affirming hormones?

→ Indicate the Tanner Stage of puberty the patient has reached:

Stage I Stage II Stage III Stage IV Stage V Unknown

Malignant sex cord-stromal tumors

Prostate cancer

Recurrent salivary gland tumors

Yes No Is the tumor androgen receptor positive?

For breast cancer, endometriosis, ovarian cancer, preservation of ovarian function, recurrent menstrual related attacks in acute porphyria or uterine leiomyomata (fibroids) indication only:

Please select which Lupron Depot dose is being requested: 3.75 mg 11.25 mg

Breast cancer

Please indicate the patient's hormone receptor (HR) status: HR-positive HR-negative Unknown

Endometriosis

Ovarian cancer

Please select: Epithelial ovarian cancer Fallopian tube cancer Primary peritoneal cancer Malignant sex cord-stromal tumor

Preservation of ovarian function

Yes No Is the patient premenopausal and undergoing chemotherapy?

Prevention of recurrent menstrual related attacks in acute porphyria

Yes No Is the requested drug being requested to prevent recurrent menstrual related attacks in acute porphyria?

Yes No Is the requested drug being prescribed by, or in consultation with, a physician experienced in the management of porphyrias?

Uterine leiomyomata (fibroids)

Yes No Does the patient have a diagnosis of anemia (for example, Hct less than or equal to 30% and/or Hgb less than or equal to 10 g/dL)?

→ Yes No Will the requested drug be used prior to surgery for uterine fibroids?

For Continuation Requests (clinical documentation required for all requests):

For gender dysphoria, malignant sex cord-stromal tumors, prostate cancer, recurrent salivary gland tumors continuation requests only:

Please select which Lupron Depot dose is being requested: 3.75 mg 7.5 mg 11.25 mg 22.5 mg 30 mg 45 mg

Gender dysphoria

Yes No Is the requested drug being prescribed for pubertal hormonal suppression in an adolescent patient?

→ Yes No Is the patient undergoing gender transition?

Yes No Will the patient receive the requested drug concomitantly with gender-affirming hormones?

→ Indicate the Tanner Stage of puberty the patient has reached: Stage I Stage II Stage III Stage IV Stage V Unknown

Malignant sex cord-stromal tumors

Yes No Has the patient experienced an unacceptable toxicity or disease progression while receiving the requested drug?

Prostate cancer

Yes No Has the patient had prior therapy with Lupron Depot within the last 365 days?

Yes No Has the patient experienced clinical benefit while receiving the requested drug (e.g., serum testosterone less than 50ng/dl)?

Yes No Has the patient experienced an unacceptable toxicity while receiving the requested drug?

Recurrent salivary gland tumors

Yes No Is the patient receiving benefit from therapy?

Yes No Has the patient experienced an unacceptable toxicity or disease progression while receiving the requested drug?

Continued on next page



MEDICARE FORM
**Lupron Depot® (leuprolide acetate
 for depot suspension) Medication
 Precertification Request**

Page 4 of 4

(All fields must be completed and legible for precertification review.)

**For Medicare Advantage Part B:
 For other lines of business:
 Please use commercial form.**

**Note: Lupron Depot is non-
 preferred. The preferred product
 is Eligard. Eligard does not
 require precertification.**

Patient First Name	Patient Last Name	Patient Phone	Patient DOB
--------------------	-------------------	---------------	-------------

G. CLINICAL INFORMATION (continued) – Required clinical information must be completed in its entirety for all precertification requests.

For breast cancer, endometriosis, ovarian cancer, preservation of ovarian function, recurrent menstrual related attacks in acute porphyria or uterine fibroids continuation requests only:

Please select Lupron Depot dose for the following indications: 3.75 mg 11.25 mg

Breast cancer

Please indicate the patient's hormone receptor (HR) status: HR-positive HR-negative Unknown

Yes No Has the patient experienced clinical benefit while receiving the requested drug?

Yes No Has the patient experienced an unacceptable toxicity while receiving the requested drug?

Endometriosis

Yes No Has the patient received previous therapy with the requested medication or Lupaneta Pack?

→ Yes No Has the patient had a recurrence of symptoms?

Yes No Is the patient's bone mineral density within normal limits?

How long has the patient received previous therapy with the requested drug and Lupaneta Pack? _____ months

Ovarian cancer

Please select: Epithelial ovarian cancer Fallopian tube cancer Primary peritoneal cancer Malignant sex cord-stromal tumor

Yes No Has the patient experienced clinical benefit while receiving the requested drug?

Yes No Has the patient experienced an unacceptable toxicity while receiving the requested drug?

Preservation of ovarian function

Yes No Is the patient premenopausal and undergoing chemotherapy?

Prevention of recurrent menstrual related attacks in acute porphyria

Yes No Is the requested medication being requested to prevent recurrent menstrual related attacks in acute porphyria?

Yes No Is the requested medication being prescribed by, or in consultation with, a physician experienced in the management of porphyrias?

Uterine leiomyomata (fibroids)

Yes No Has the patient received previous therapy with the requested drug or Lupaneta Pack?

→ Yes No Does the patient have a diagnosis of anemia (for example, Hct less than or equal to 30% and/or Hgb less than or equal to 10g/dL)?

How long has the patient received previous therapy with the requested drug and Lupaneta Pack? _____ months

→ Yes No Does the patient have a diagnosis of anemia (for example, Hct less than or equal to 30% and/or Hgb less than or equal to 10g/dL)?

→ Yes No Will the requested drug be used prior to surgery for uterine fibroids?

H. ACKNOWLEDGEMENT

Request Completed By (Signature Required): _____ **Date:** ____ / ____ / ____

Any person who knowingly files a request for authorization of coverage of a medical procedure or service with the intent to injure, defraud or deceive any insurance company by providing materially false information or conceals material information for the purpose of misleading, commits a fraudulent insurance act, which is a crime and subjects such person to criminal and civil penalties.

The plan may request additional information or clarification, if needed, to evaluate requests.