

Rituxan[®] (rituximab), Riabni[™] (rituximab-arrx), Ruxience[®] (rituximab-pvvr), Truxima[®] (rituximab-abbs) Medication Precertification Request

Aetna Precertification Notification
Phone: 1-866-752-7021 (TTY: 711)

FAX: <u>1-888-267-3277</u>

For Medicare Advantage Part B: Please Use Medicare Request Form

(All fields must be completed and return both pages for precertification review.)

Please indicate: Start of treatment, start date: ///// Continuation				ation of therapy, date of last treatment://			
Precertification Requested By:				Phone:		Fax:	
A. PATIENT INFORMATION							
First Name:		Last Name:					
Address:			City:			State:	ZIP:
Home Phone:	Work Phone:	Cell Phone:		DOB:		E-mail:	
Current Weight: lbs or _	kgs Height:i	inches or cms	Allergie	es:			
B. INSURANCE INFORMATION	ON						
Member ID #:		Does patient have other	er covera	ıge? ☐ Yes	☐ No		
Group #:		If yes, provide ID#:		Carrier	Name:		
Insured:		Insured:					
Medicare: ☐ Yes ☐ No If y	es, provide ID #:		Medica	id: Yes No	If yes, prov	/ide ID #:	
C. PRESCRIBER INFORMATI	ION						
First Name:		Last Name:		(Ch	eck one):	M.D. □ D).O. N.P. P.A.
Address:			City:			State:	ZIP:
Phone:	Fax:	St Lic #:	NPI #:		DEA #:		UPIN:
Provider E-mail:		Office Contact Name:				Phone:	
Specialty (Check one): Rhe	eumatologist 🗌 Oncologi	st 🗌 Other:					
D. DISPENSING PROVIDER/	ADMINISTRATION INFORM	ATION					
Self-administered Physician's Office Outpatient Infusion Center Phone: Center Name: Home Infusion Center Phone: Agency Name: Administration code(s) (CPT):			☐ Physician's Office ☐ Retail Pharmacy ☐ Specialty Pharmacy ☐ Other				
Address: E. PRODUCT INFORMATION			_ 1110			FIIN	
Request is for: Rituxan (ritux		Dii	rections	for Use:			
F. DIAGNOSIS INFORMATION	•				olicable (*).		
Primary ICD Code:				de:	()		
G. CLINICAL INFORMATION					sts.		
For All Requests (clinical doc	•	•		·			
☐ Yes ☐ No Has the patier			d intolera	ible adverse event	(e.g., rash,	nausea, vomitin	q)?
Yes No Was the adverse event unexpected and not attributed to the active ingredient as described in the prescribing information (i.e., known adverse reaction for both the brand and biosimilar medication)?							
Autoimmune blistering disea							
Yes No Will the reque				-			
Granulomatosis with polyangiitis (GPA) (Wegener's granulomatosis), Microscopic polyangiitis (MPA), Churg-Strauss syndrome, Pauci-immune glomerulonephritis, Systemic lupus erythematosus, Rheumatoid arthritis (RA)							
Yes No Will the requested drug be prescribed by or in consultation with a rheumatologist, immunologist, or nephrologist?							
Myasthenia gravis, Multiple Sclerosis, Neuromyelitis optica (i.e., neuromyelitis optica spectrum disorder; NMOSD, Devic disease), Opsoclonus-							
myoclonus-ataxia ☐ Yes ☐ No Will the requested drug be prescribed by or in consultation with a neurologist or immunologist?							
Siggren's syndrome							
Yes No Will the requested drug be prescribed by or in consultation with a rheumatologist, ophthalmologist, or immunologist?							

Continued on next page



Patient First Name

Rituxan[®] (rituximab), Riabni[™] (rituxima b-arrx), Ruxience[®] (rituximab-pvvr), Truxima[®] (rituximab-abbs) Medication Precertification Request

Aetna Precertification Notification
Phone: 1-866-752-7021 (TTY: 711)

FAX: <u>1-888-267-3277</u>

Patient DOB

For Medicare Advantage Part B: Please Use Medicare Request Form

Page 2 of 4

Patient Last Name

(All fields must be completed and return both pages for precertification

Patient Phone

G. CLINICAL INFORMATION (Continued) -	Required clinical information must be completed	for ALL precertification requests.				
Cryoglobulinemia						
Yes No Will the requested drug be p	rescribed by or in consultation with a hematologi	st, rheumatologist, neurologist, or ne	ephrologist?			
Solid organ transplant	,	, 3 , 3 ,	. 3			
	rescribed by or in consultation with an immunolo	giet or transplant enecialist?				
	rescribed by or in consultation with an initialion	gist of transplant specialist:				
Non-Oncology:						
☐ Autoimmune hemolytic anemia						
☐ Autoimmune blistering diseases						
☐ Chronic graft versus host disease						
☐ Cryoglobulinemia						
	d other immunosuppressive agents been ineffecti	ve?				
☐ Churg-Strauss syndrome						
Granulomatosis with polyangiitis (GPA						
Immune Checkpoint Inhibitor-related t						
Immune or idiopathic thrombocytopen	ic purpura (ITP), refractory					
☐ Microscopic polyangiitis (MPA)						
☐ Multiple sclerosis (MS)						
☐ Yes ☐ No Has the patient been dia	gnosed with relapsing-remitting multiple sclerosis	s (RRMS)?				
☐ Yes ☐ No Is the patient taking the i	requested medication with any other medication u	used for the treatment of multiple scl	erosis other than Ampyra?			
☐ Myasthenia gravis, refractory						
☐ Neuromyelitis optica (i.e., neuromyeliti	is optica spectrum disorder (NMOSD), Devic o	disease)				
☐ Yes ☐ No Will the requested drug to	pe used concomitantly with another biologic for th	ne treatment of neuromyelitis optica	spectrum disorder (NMOSD)?			
☐ Opsoclonus-myoclonus ataxia	,	, ,	. , ,			
_ · ·	ing used for associated opsoclonus-myoclonus a	ataxia associated with neuroblastom	a?			
☐ Yes ☐ No Is the patient refractory t						
☐ Pauci-immune glomerulonephritis						
	related post-transplant lymphoproliferative of	lisorder (PTLD)				
☐ Rheumatoid arthritis (RA)	rolated poor transplant lymphopromorative o	11001d01 (1 125)				
,	gnosed with moderately to severely active rheum	natoid arthritis (RA)?				
	a biologic or targeted synthetic drug (e.g., Rinvo		erately to severely active			
rheumatoid arthritis?	a biologic of largeton symmetre and (e.g., runve	ra, ranjanz) mario maioatoa for mode	rately to coverely active			
	patient received two full doses of the requested	medication, with the most recent dos	se being 6 months before			
this requ		,	3 -			
L Yes □ Yes	No Does the patient meet either of the follow	wing: a) the patient was tested for the	e rheumatoid factor (RF)			
	biomarker and the RF biomarker test wa					
	citrullinated peptide (anti-CCP) biomarke					
	Yes No Has the patient been tes					
		d peptide (anti-CCP), and c) C-react	ive protein (CRP) and/or			
	erythrocyte sedimentation					
	ced an inadequate response after at least 3 mon	ths of treatment with the methotrexa	te dose greater than or			
equal to 15 mg per week						
	ced an inadequate response with another conve	ntional drug (e.g., hydroxychloroquin	e, leflunomide,			
sulfasalazine)?						
	ing prescribed in combination with methotrexate					
	patient experienced intolerance to methotrexate					
→	☐ No Does the patient have a contraindication	to methotrexate or leflunomide?				
	Please indicate the contraindication:					
	History of intolerance or adverse even		-			
	Blood dyscrasias (e.g., thrombocytor		a)			
	☐ Breastfeeding ☐ Elevated liver tran					
	Interstitial pneumonitis or clinically si					
	Pregnancy or currently planning preg					
	☐ Clinical diagnosis of alcohol use disc	order, alcoholic liver disease or other	chronic liver disease			
	Other:					
	be used with another biologic for the treatment of					
	Iministration at least 16 weeks after the date of the					



Patient First Name

Rituxan[®] (rituximab), Riabni[™] (rituxima b-arrx), Ruxience[®] (rituximab-pvvr), Truxima[®] (rituximab-abbs) Medication Precertification Request

Patient Phone

Aetna Precertification Notification Phone: <u>1-866-752-7021</u> (TTY: <u>711</u>)

FAX: 1-888-267-3277

Patient DOB

For Medicare Advantage Part B: Please Use Medicare Request Form

Page 3 of 4

Patient Last Name

(All fields must be completed and return both pages for precertification
review)

G. CLINICAL INFORMATION (Continued) - Required clinical information must be completed for ALL precertification requests. Sjögren's syndrome Yes No Have corticosteroids and other immunosuppressive agents been ineffective? Solid organ transplant and prevention of antibody mediated rejection in solid organ transplant Yes No Is the requested drug being used for the treatment and prevention of antibody mediated rejection in solid organ transplant? Systemic Lupus Erythematosus (SLE) Yes No Is the disease refractory to immunosuppressive therapy? Thrombotic thrombocytopenic purpura (TTP) Oncology:					
Sjögren's syndrome Yes No Have corticosteroids and other immunosuppressive agents been ineffective? Solid organ transplant and prevention of antibody mediated rejection in solid organ transplant Yes No Is the requested drug being used for the treatment and prevention of antibody mediated rejection in solid organ transplant? Systemic Lupus Erythematosus (SLE) Yes No Is the disease refractory to immunosuppressive therapy? Thrombotic thrombocytopenic purpura (TTP)					
 Yes No Have corticosteroids and other immunosuppressive agents been ineffective? Solid organ transplant and prevention of antibody mediated rejection in solid organ transplant Yes No Is the requested drug being used for the treatment and prevention of antibody mediated rejection in solid organ transplant? Systemic Lupus Erythematosus (SLE) Yes No Is the disease refractory to immunosuppressive therapy? Thrombotic thrombocytopenic purpura (TTP) 					
 Solid organ transplant and prevention of antibody mediated rejection in solid organ transplant Yes No Is the requested drug being used for the treatment and prevention of antibody mediated rejection in solid organ transplant? Systemic Lupus Erythematosus (SLE) Yes No Is the disease refractory to immunosuppressive therapy? Thrombotic thrombocytopenic purpura (TTP) 					
 ☐ Yes ☐ No Is the requested drug being used for the treatment and prevention of antibody mediated rejection in solid organ transplant? ☐ Systemic Lupus Erythematosus (SLE) ☐ Yes ☐ No Is the disease refractory to immunosuppressive therapy? ☐ Thrombotic thrombocytopenic purpura (TTP) 					
 Systemic Lupus Erythematosus (SLE) Yes □ No Is the disease refractory to immunosuppressive therapy? Thrombotic thrombocytopenic purpura (TTP) 					
☐ Yes ☐ No Is the disease refractory to immunosuppressive therapy? ☐ Thrombotic thrombocytopenic purpura (TTP)					
☐ Thrombotic thrombocytopenic purpura (TTP)					
☐ Yes ☐ No Does the patient have CD20 positive disease that was confirmed by testing or analysis?					
Action required: If 'Yes', attach results of testing or analysis confirming CD20 protein on the surface of the B-cell.					
Please indicate the patient's documented diagnosis:					
Acquired immunodeficiency syndrome (AIDS)-related B-cell lymphoma					
☐ B-cell acute lymphoblastic leukemia (ALL)					
☐ B-cell lymphoblastic lymphoma					
☐ Burkitt lymphoma					
☐ Castleman's disease					
☐ Central nervous system (CNS) cancers with leptomeningeal metastases from lymphomas					
☐ Central nervous system (CNS) cancers with primary central nervous system (CNS) lymphoma					
☐ Chronic lymphocytic leukemia (CLL)					
☐ Diffuse large B-cell lymphoma (DLBCL)					
☐ Follicular lymphoma					
☐ Hairy cell leukemia					
High-grade B-cell lymphoma with translocations of MYC and BCL2 and/or BCL6 (double/triple hit lymphoma)					
High-grade B-cell lymphoma, not otherwise specified					
Histological transformation of indolent lymphomas to diffuse large B-cell lymphoma					
Hodgkin's lymphoma, nodular lymphocyte-predominant					
Mantle cell lymphoma					
Marginal zone lymphomas (nodal marginal zone lymphoma, gastric mucosa associated lymphoid tissue (MALT) lymphoma, nongastric MALT lymphoma,					
splenic marginal zone lymphoma)					
☐ Pediatric Aggressive Mature B-Cell Lymphomas					
Primary cutaneous B-cell lymphoma					
Post-transplant lymphoproliferative disorder (PTLD)					
☐ Rosai-Dorfman disease ☐ Small lymphocytic lymphoma (SLL)					
☐ Waldenström's macroglobulinemia/lymphoplasmacytic lymphoma (LPL)					
For Continuation Requests (clinical documentation required for all requests):					
` `					
Yes No Has the patient failed treatment with Truxima due to a documented intolerable adverse event (e.g., rash, nausea, vomiting)?					
Yes No Was the adverse event unexpected and not attributed to the active ingredient as described in the prescribing information (i.e., known adverse reaction for both the brand and biosimilar medication)?					
Rheumatoid Arthritis (RA)					
Please indicate the number of total doses the patient has received since starting treatment with the requested medication:					
Yes No Will the requested medication be used with another biologic for the treatment of rheumatoid arthritis?					
Please indicate the percent of disease activity improvement from baseline in tender joint count, swollen joint count, pain, or disability:%					
Multiple sclerosis (MS)					
☐ Yes ☐ No Is the patient experiencing disease stability or improvement while receiving the requested medication?					
Continuation, oncologic indications					
☐ Yes ☐ No Is there evidence of unacceptable toxicity on the current regimen?					
Continuation, immune checkpoint inhibitor-related toxicities and all other indications					
☐ Yes ☐ No Is the patient experiencing benefit from therapy?					

Continued on next page



Rituxan[®] (rituximab), Riabni[™] (rituxima b-arrx), Ruxience[®] (rituximab-pvvr), Truxima[®] (rituximab-abbs) Medication Precertification Request

(All fields must be completed and return both pages for precertification review.)

Aetna Precertification Notification Phone: <u>1-866-752-7021</u> (TTY: <u>711</u>) FAX: 1-888-267-3277

For Medicare Advantage Part B: Please Use Medicare Request Form

	,					
Patient First Name	Patient Last Name Patient Phone		Patient DOB			
H. ACKNOWLEDGEMENT						
Request Completed By (Signature Requ	uired):		Date:	1	1	
any insurance company by providing mate	t for authorization of coverage of a medical pre erially false information or conceals material ir cts such person to criminal and civil penalties.					

The plan may request additional information or clarification, if needed, to evaluate requests.